


NATIONAL LIBRARY OF MEDICINE
Washington





THE
PHYSICIAN'S VADE MECUM;
BEING
A COMPENDIUM
OF
NOSOLOGY AND THERAPEUTICS,
FOR THE
USE OF STUDENTS.

BY
THE REV. JOSEPH TOWNSEND,
RECTOR OF PEWSET, WILTS.

From the Sixth London Edition.

38520

BOSTON:

PRINTED BY DAVID CARLISLE,
FOR EDWARD COTTON, No. 47, MARLBOROUGH
STREET.

1805.

1880

1880

1880

1880

PREFACE.

IN this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were honoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best : yet in some few instances I have departed from him ; but it has been chiefly where he hesitates himself.

My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit.

The utility of classical distinctions is almost universally acknowledged ; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with precision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate

cause of the disease ; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public ; and with a moderate share of penetration, will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout ; and for some of the most efficacious formula, I must acknowledge my obligation to Dr.

NANKIVEL, whose fame is too well established in our metropolis to need any eulogium from my pen.

Should this little work meet with acceptance among either the students in our hospitals, or the medical practitioners in country villages, I shall think myself well rewarded for my trouble.

LONDON,
OCTOBER, 1792.

THE
CLASSES, ORDERS, GENERA,
AND
SPECIES OF DISEASE.

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

CLASS.

I. PYREXIÆ - - { After cold shivering, a frequency of pulse, with increase of heat, and especially, among other impaired functions, a diminution of strength.

II. NEUROSES - - { Affections of sense and motion, disturbed ; without either idiopathic pyrexia, or topical disease.

III. CACHEXIÆ - - { A depraved habit of body ; without pyrexia, and independent of neurosis, as original disease.

IV. LOCALES - - - { Morbid affections, which are partial.

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDERS.

- | | | |
|----------------------------|---|---|
| I. <i>Febres</i> - - - - - | { | Pyrexia, without primary local affection. |
| II. <i>Phlegmasiæ</i> - - | { | Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat. |
| III. <i>Exanthemata</i> - | { | Contagious diseases, beginning with fever, and followed by an eruption on the skin. |
| IV. <i>Hæmorrhagiæ</i> | { | Pyrexia, with a discharge of blood, without any external injury, the blood on venesection exhibiting the buff coat. |
| V. <i>Profluvia</i> - - - | { | Pyrexia, with increased excretions. |

CLASS II. NEUROSES.

- | | | |
|----------------------------|---|---|
| I. <i>Comata</i> - - - - - | { | A diminution of the powers of voluntary motion, with sleep, or the senses impaired. |
|----------------------------|---|---|

ORDERS.

- II. *Adynamia* - - { A diminution of the involuntary motions of either vital or natural functions.
- III. *Spasmi* - - - - { A morbid contraction, or motion of muscular fibres.
- IV. *Vesania* - - - - { The judgment impaired, without either coma, or pyrexia.

CLASS III. CACHEXIÆ.

- I. *Marcores* - - - Universal emaciation.
- II. *Intumescentiæ*. General swellings.
- III. *Impetigines* - - { Cachexia, deforming the external parts of the body with tumours, eruptions, &c.

CLASS IV. LOCALES.

- I. *Dysæthesiæ* - - { The senses injured, or destroyed, by the imperfections of the organs.
- II. *Dysorexia* - - - { The appetite deficient, or depraved.

ORDERS.

- III. *Dyscinesiaë* - { Motions impeded, or de-
praved, from an imperfec-
tion of the organ.
- IV. *Apocenosés* - { A superabundant flux of
blood, or humours, with-
out pyrexia.
- V. *Epischéses* - A suppression of excretions.
- VI. *Tumores* - - { Partial swellings, without
inflammation.
- VII. *Ectopiæ* - - - Parts displaced.
- VIII. *Dialyses* - - - A solution of continuity.

GENERA,

AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDER I. FEBRES.

GENERA.

1. *Intermittens* - - { Cold, hot, and sweating stages, in succession, attend each paroxysm, and are followed by an intermission, or remission.

SPECIES.

1. *quotidiana*.
2. *tertiana*.
3. *quartana*.

2. *Continua* - - - - { No intermission, yet subject to exacerbations twice in one day.

SPECIES.

1. *Synocha*. Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
2. *Typhus*. Contagious. Heat moderate; pulse quick, weak, small; urine, little changed; senses much impaired; prostration of strength.

VARIETIES.

1. *petechialis*.
2. *mitior*.
3. *gravior*.
4. *icterodes*.

GENERA.

3. *Hectica* -----

{ Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritious sediment; appetite good; thirst moderate.

This fever is symptomatic of

1. Chlorosis.
2. Schrophula.
3. Nephralgia, &c. v. genus 31.

CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. *Phlogosis* - - - - { Redness ; heat ; pain ; and
tumour on the surface of
the body.

SPECIES.

1. *Phlegmone*. Inflammation of a bright red colour ; tumour pointed, throbbing, and tending to suppuration.
2. *Erythema*. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in desquamation, or vesicles of the skin.

The phlogosis often terminates in

1. *Impostume*.
2. *Gangrene*.
3. *Sphacelus*.

5. *Ophthalmia* - - - - { Redness and pain of the
eye ; intolerance of light ;
with effusion of tears.

SPECIES.

1. *Ophthalmia Membranarum*. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva.

SPECIES.

2. *Ophthalmia Tarsi*. Small ulcers in the sebaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

6. *Phrenitis* - - - - { Strong fever; violent headache; redness of face and eyes; impatience of light, and noise; watchfulness; and furious delirium.

SYMPTOMATIC.

1. exanthematica.
2. verminosa.
3. aphrodisiaca.
4. hydrophobica.
5. traumatica.
6. a dolore.

7. *Cynanche* - - - - { Pain, and redness of the fauces; deglutition, and respiration, difficult.

SPECIES.

1. *Tonsillaris*, affecting the mucous membrane of the fauces, but more especially the tonsils.
2. *Maligna*, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES.

symptoms are accompanied with typhus, and followed by exanthemata.

3. *Trachealis*. Respiration difficult ; inspiration accompanied with a wheezing, and the cough occasioning a shrill ringing sound ; no apparent tumour in the fauces.

4. *Pharyngæa*.

5. *Parotidæa*.

SYMPTOMATIC.

1. exanthematica.

2. arthritica.

3. hepatica.

GENERA.

8. *Pneumonia* - - - { Pyrexia ; difficult respiration ; cough ; and pain in the thorax.

SPECIES.

1. *Peripneumonia*. The pulse not always hard, but sometimes soft ; an obtuse pain in the breast ; the respiration always difficult ; sometimes the patient cannot breathe unless in an upright posture ; the face swelled, and of a livid colour ; the cough for the most part moist, frequently bloody.

2. *Pleuritis*. The pulse hard ; a pungent pain in one side, aggravated during the time of inspiration ; an uneasiness

when lying on one side ; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic ; difficult respiration ; cough ; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. *Carditis* - - - - { Pyrexia ; pain in the region of the heart ; anxiety ; difficult breathing ; cough ; irregular pulse ; palpitation ; fainting.

10. *Peritonitis* - - { Pyrexia ; pain in the abdomen, increased when erect.

11. *Gastritis* - - - - { Pyrexia ; anxiety ; heat and pain in the epigastrium, increased when any thing is taken into the stomach ; vomiting ; hick-up ; pulse small and hard ; prostration of strength.

SPECIES.

1. *phlegmonodea*.
2. *erysipelatos*a, with milder symptoms.

GENERA.

- | | | |
|----------------------------|---|--|
| 12. <i>Enteritis</i> - - - | { | Pyrexia ; fixed pain in the abdomen ; costiveness ; vomiting. |
| 13. <i>Hepatitis</i> - - - | { | Pyrexia ; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top of the right shoulder, and extending to the clavicle, increased by lying on the left side ; urine high coloured. |
| 14. <i>Splenitis</i> - - - | { | Pyrexia ; tension, heat, tumour, and pain in the left hypochondrium, increased by pressure. |
| 15. <i>Nephritis</i> - - - | { | Pyrexia ; pain in the region of the kidneys, and shooting along the course of the ureter ; drawing up of the testicle ; numbness of the thigh ; vomiting ; urine high coloured ; costiveness, and colic pains. |

SYMPTOMATIC.

1. calculosa.
2. arthritica.
3. purulenta.

GENERA.

- | | | |
|-----------------------------|---|--|
| 16. <i>Cystitis</i> - - - - | { | Pyrexia ; tumour and pain in the hypogastrium ; frequent and painful discharge of urine ; tenesmus. |
| 17. <i>Hysteritis</i> - - - | { | Pyrexia ; heat, tension, tumour, and pain in the hypogastrium ; pain in the os uteri, when touched ; vomiting. |
| 18. <i>Rheumatismus</i> | { | Pyrexia ; pains in the joints, increased by the action of the muscles belonging to the joint ; heat on the part. The blood after venesection exhibits an inflammatory crust. |

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

SPECIES.

1. *Lumbago*, affecting chiefly the loins.
2. *Ischias*, - - - - - the hip joint.

GENERA.

19. *Odontalgia* - - Tooth-ach.

20. *Podagra* - - - - { Pyrexia ; pain in the joints,
chiefly of the great toe,
and especially of the hands
and feet, returning at inter-
vals : previous to the at-
tack, the functions of the
stomach are commonly
disturbed.

SPECIES.

1. *regularis*.
2. *atonica*.
3. *retrograda*.
4. *aberrans*.

21. *Arthropuosis* - { Pain of the joints, or mus-
cles, often after contusion,
deep, blunt, of long con-
tinuance ; little or no tu-
mour ; no inflammation ;
pyrexia slight at first, at
last hectic ; and finally ter-
minating in abscess.

CLASS I. PYREXIÆ.

ORDER III. EXANTHEMATA.

GENERA.

22. *Erysipelas* - - - { Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

SPECIES.

1. *vesiculosum*.
2. *phlyctaenodes*.

23. *Pestis* - - - - - { Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.
24. *Variola* - - - - - { Synocha; eruption of red pimples the third day, which on the eighth contain pus, and drying, fall off in crusts.

SPECIES.

1. *discreta*.2. *confluens*.

GENERA.

25. *Varicella* - - - - {

Moderate synocha ; pimples bearing some resemblance to *variola*, quickly forming pustules, which contain a fluid matter, and after three or four days from their first appearance desquamate, leaving no cicatrix.

26. *Rubeola* - - - - {

Synocha ; hoarseness ; dry cough ; sneezing ; drowsiness ; about the fourth day eruption of small red points, discernible by the touch, which, after three days, end in mealy desquamation. Blood, after venæ-section, exhibits inflammatory crust.

GENERA.

27. *Miliaria* - - - -

{ Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceded by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples

28. *Scarlatina* - - -

{ Contagious synocha; 4th day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

SPECIES.

1. *simplex* without cynanche.
2. *cynanchica*.

CLASS I. PYREXIÆ.

ORDER IV. HÆMORRHAGIÆ.

GENERA.

29. *Epistaxis* - - - { Bleeding at the nose, with
pain, or fulness of the
head.
30. *Hæmoptysis* - - - { Coughing up of florid, or
frothy blood; heat or pain
in the chest; irritation in
the larynx; saltish taste.

SPECIES.

1. *plethorica*.
2. *violenta*.
3. *phthisica*.
4. *calculosa*.
5. *vicaria*.

31. *Phthisis* - - - - { Emaciation; debility;
cough; hectic; purulent
expectoration; hæmopty-
sis; diarrhœa.

SPECIES.

1. *hæmoptoica*.
2. *exanthematica*.
3. *chlorotica*.
4. *scrophulosa*.
5. *syphilitica*.

GENERA.

32. *Hæmorrhoids* - { Flux of blood from the
anus ; pain there, and hæ-
morrhoids ; vertigo ; pain
in the loins and head-
ach.
33. *Menorrhagia* - { A too copious menstrual
flux.

SPECIES.

1. *rubra*.
2. *abortus*.
3. *lochialis*.
4. *vitiorum*.
5. *alba*.

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

34. *Catarrhus* - - { Increased excretion of mu-
cus from the membranes
of the nose, fauces, and
bronchiæ, with pyrexia,
and attended by cough,
thirst, lassitude, and want
of appetite.

SPECIES.

1. *a frigore*.
2. *a contagio*.

SYMPTOMATIC.

1. tussis exanthematica.
2. verminosa.
3. a dentitione.
4. arthritica.

GENERA.

35. *Dysenteria* - - { Contagious pyrexia ; frequent griping stools ; tenesmus ; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state ; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. *Apoplexia* - - - { Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

SPECIES.

1. *sanguinea*.
2. *serosa*.
3. *hydrocephalica*. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
4. *atrabilaria*.
5. *traumatica*.
6. *venenata*.
7. *mentalis*.
8. *cataleptica*.
9. *suffocata*.

SYMPTOMATIC.

1. *exanthematica*.
2. *arthritica*.
3. *verminosa*. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. *Paralysis* - - - { A loss of the power of voluntary motion affecting certain parts.

SPECIES.

1. *partialis*.
2. *hemiplegica*.
3. *paraplegica*.
4. *venenata*.

SYMPTOMATIC.

1. exanthematica.
2. arthritica.
3. verminosa.
4. scrophulosa.
5. syphilitica.
6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

- | | | |
|----------------------------|---|---|
| 38. <i>Syncope</i> - - - - | { | The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart. |
|----------------------------|---|---|

SPECIES.

1. *cardiaca*, returning without a visible cause, and with violent palpitation of the heart during the intervals.
2. *occasionalis*, from a manifest cause.

GENERA.

39. *Dyspepsia* - - - { Want of appetite ; nausea ;
vomiting ; flatulence ;
heart-burn ; costiveness ;
and pain in the stomach ;
with other symptoms of
debility in the organ of
digestion.

SYMPTOMATIC.

1. schirrosa.
2. ulcerosa.
3. a veneno.
4. verminosa.
5. chlorotica.
6. gravidarum.
7. arthritica.
8. nephritica.

40. *Hypochondriasis* { Dyspepsia ; languor and
want of energy ; dejection
of mind and apprehension
of evil, more especially
respecting health, without
sufficient cause ; with a
melancholic temperament.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. *Tetanus* - - - - { Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

1. *opisthotonos*,
2. *emprosthotonos*, and
3. *Trismus*, or locked-jaw.

SYMPTOMATIC.

1. syphiliticus.
2. verminosus.

42. *Convulsio* - - - - { Alternate relaxations, with violent and involuntary contractions of the moving fibres, without sleep.

43. *Chorea* - - - - { Convulsive motions of the limbs or trunk.

44. *Raphania* - - - - { A spasmodic contraction of the joints, with convulsive motions and most violent pain : periodical.

45. *Epilepsia* - - - - { Convulsions with sleep, and usually froth issuing from the mouth.

SPECIES.

1. *traumatica.*
2. *a dolore.*
3. *verminosa.*
4. *a veneno.*
5. *exanthematica.*
6. *a cruditate ventriculi.*
7. *ab inanitione.*
8. *uterina.*
9. *ex onanismo.*

In the Vital Functions.

GENERA.

46. *Palpitatio* - - - { A palpitation of the heart,
either constant or frequently returning.
47. *Asthma* - - - { Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxysm, with a discharge of mucus, followed by a remission.

SPECIES.

1. *spontaneum.*
2. *exanthematicum.*
3. *plethoricum.*

SYMPTOMATIC.

1. arthriticum.
2. venereum.

GENERA.

48. *Dyspnoea* - - - { Difficult respiration, continual, and without sense of stricture. Cough frequent through the whole course of the disease.
49. *Pertussis* - - - { Convulsive, strangulating cough, with hooping relieved by vomiting; contagious.

In the Natural Functions.

50. *Pyrosis* - - - - { Heartburn, with copious eructation, generally of a watery insipid fluid.
51. *Colica* - - - - - { Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

SPECIES.

1. *spasmodica*.
2. *pictonum*, ending in palsy.
3. *stercorea*.

GENERA.

52. *Cholera* - - - - { A purging and vomiting of
bile ; anxiety ; painful
gripings ; spasms of the
abdominal muscles, and
those of the thighs.
53. *Diarrhæa* - - - - { Frequent liquid stools with
the natural excrement, but
not contagious, and seldom
attended with pyrexia.

SPECIES.

1. *crapulosa*.
2. *biliosa*.
3. *mucosa*.
4. *caliaca*.
5. *lienteria*.
6. *hepatirrhæa*.
7. *verminosa*.

54. *Diabetes* - - - - { A superabundant discharge
of urine, which is limpid,
and sweetish to the taste.

SYMPTOMATIC.

1. *hystericus*.
2. *arthriticus*.

GENERA.

55. *Hysteria* - - - - { A grumbling noise in the belly ; a ball ascending to the throat, with a sense of suffocation ; stupor ; insensibility and convulsions ; involuntary laughing and crying ; sleep interrupted by sighs ; urine limpid and abundant, previous to the fit ; great sensibility and irritability of mind.

SPECIES.

1. *chlorotica*.
2. *a menorrhagia*.
3. *a leucorrhæa*.
4. *libidinosa*.

56. *Hydrophobia* - { A dread of water, as inducing painful convulsions of the pharynx.

CLASS II. NEUROSES.

ORDER IV. VESANIÆ.

GENERA.

57. *Amentia* - - -

{ Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.

58. *Melancholia* -

{ Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.

59. *Insania* - - - -

{ Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide *Cullen's Practice*, §. 1581.

GENERA.

60. *Mania* - - - - -

{ A conception of false relations, and an erroneous judgment, arising from imaginary preceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint.

61. *Oneirodynia* - { Disturbed imagination during sleep.

SPECIES.

1. *active.* Walking in the sleep.
2. *gravans.* The incubus or night-mare.

CLASS III. CACHEXIÆ.

ORDER I. MARCORES.

GENERA.

62. *Tabes* - - - - - { Emaciation ; weakness ;
hectic.

SPECIES.

1. *purulenta*.
2. *scrophulosa*.
3. *venenata*.

63. *Atrophia* - - - { Emaciation ; weakness, but
without hectic.

SPECIES.

1. *inanitorum*.
2. *famelicorum*.
3. *cacochymica*.
4. *debilium*.

CLASS III. CACHEXIÆ.

ORDER 11. INTUMESCENTIÆ.

Adipose.

GENERA.

64. *Polysarcia* - - Troublesome obesity.

Flatulent.

65. *Pneumatosiſ* - - { Air collected in the cellular
texture under the skin,
rendering it tense, elastic,
and crepitating.

SPECIES.

1. *spontanea*.
2. *traumatica*.
3. *venenata*.
4. *hysterica*.

66. *Tympanites* - - { Elastic distention of the ab-
domen, not readily yield-
ing to pressure, and sound-
ing like a drum, with cos-
tiveness and atrophy ; but
no fluctuation.

SPECIES.

1. *intestinalis*, with discharge of wind giv-
ing relief.
2. *abdominalis*, without such relief.

GENERA.

67. *Physometra* - - { A permanent elastic swelling in the hypogastrium from flatulent distention of the womb.

Aqueous.

68. *Anasarca* - - - { Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fulness.

SPECIES.

1. *serosa.*
2. *exanthematica.*
3. *a compressione.*
4. *debilium.*

69. *Hydrocephalus* { External swelling of the head, soft, not elastic.

The *internal hydrocephalus* has been described already as the third species of *Apoplexia*.

70. *Hydrorachitis* { Tumor in new-born infants on the lumbar vertebræ, soft, and small.

GENERA.

71. *Hydrothorax* - { Dyspnoea; paleness of face;
œdematous swelling of the
feet; scarcity of urine;
impatience of an horizon-
tal position, with sudden
starting from sleep, and
palpitation; fluctuation of
water in the chest.
72. *Ascites* - - - - { Swelling of the abdomen,
tense, and scarcely elas-
tic; with fluctuation.

SPECIES.

1. *abdominalis*.
2. *saccatus*.

73. *Hydrometra* - - { A swelling in the hypogas-
trium of females not preg-
nant; with fluctuation; no
suppression of urine.
74. *Hydrocele* - - - { A soft tumor of the scrotum,
increasing slowly, without
pain, fluctuating, general-
ly pellucid.

Of the Solids.

75. *Physconia* - - - { Tumor occupying chiefly
one part of the abdomen,
increasing slowly, and
neither sonorous nor fluc-
tuating.

SPECIES.

1. *hepatica.*
2. *splenica.*
3. *renales.*
4. *uterina.*
5. *ab ovario.*
6. *mesenterica.*
7. *omentalis.*
8. *visceralis.*

GENERA.

76. *Rachitis* - - - - { Large head ; prominent forehead ; protruded sternum ; flattened ribs ; big belly ; emaciated limbs, with great debility.

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

77. *Scrophula* - - - { Swelled lymphatic glands ; thick upper lip ; obstinate ulcers ; ophthalmia tarsi ; indolent tumours on the joints ; fair complexion ; irritable habit.

GENERA.

78. *Syphylis* - - - - { A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp; blotches on the surface of the body; nocturnal pain in the bones; nodes, &c.

79. *Scorbutus* - - - { Extreme debility; complexion pale and bloated; spongy gums; livid spots on the skin; breath offensive; œdematous swellings in the legs; hæmorrhages; foul ulcers; urine fœtid; stools extremely offensive.

GENERA.

80. *Elephantiasis* - { Skin thick, rough, wrinkly, unctuous, and void of hair ; face deformed, with tubera ; voice hoarse and sounding through the nose ; want of feeling in the extremities.—It is contagious.
81. *Lepra* - - - - { The skin rough and chopped, with white furfuraeous scales and crusts, under which is frequently a moisture, with itching.
82. *Frambæsia* - - { Fungi, like mulberries, growing out of the skin in various parts of the body, and discharging ichor ; infectious. Called *Taws*.
83. *Trichoma* - - - { The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*.
84. *Icterus* - - - - { Yellowness of the skin and eyes ; fæces white ; urine of a high colour, and tinges linen yellow.

SPECIES.

1. *calculosus*, acute pain in the epigastric region, increasing after eating: gall stones pass by stool.
2. *spasmodicus*, without pain, after spasmodic diseases and passions of the mind.
3. *mucosus*, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
4. *hepaticus*.
5. *gravidarum*.
6. *infantum*.

GENERA.

85. *Chlorosis* ---- { Dyspepsia ; livid paleness ;
 great debility ; palpitation ; depraved appetite,
 with *amenorrhæa*.

CLASS IV. LOCALES.

ORDER 1. DYSÆSTHESIÆ.

86. *Caligo* ---- { Sight diminished, or destroyed, by the interposition of a dark body, between the object and the retina.

SPECIES.

1. *lentis.*
2. *cornea.*
3. *pupillæ.*
4. *humorum.*
5. *palpebrarum.*

GENERA.

87. *Amaurosis* - - { Sight diminished, or destroyed, without any visible injury of the eye: the pupil mostly dilated and immoveable.

SPECIES.

1. *compressionis.*
2. *atonica.*
3. *spasmodica.*
4. *venerata.*

88. *Dysopia* - - - { Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

SPECIES.

1. *tenebrarum.*
2. *luminis.*
3. *dissitorum.*
4. *proximorum.*
5. *lateralis.*

GENERA.

89. *Pseudoblepsis* - { Sight depraved, creating
objects, or representing
them different from what
they are.

SPECIES.

1. *imaginaria*.
2. *mutans*.

90. *Dysecæa* - - - - { Hearing diminished or de-
stroyed.

SPECIES.

1. *organica*, from wax in the *meatus*, injuries of the *membrana*, or inflammation and obstruction of the *tuba*.
2. *atonica*, without any discernible injury of the organ.

91. *Paracusis* - - - Hearing depraved.

SPECIES.

1. *imperfecta*.
2. *imaginaria*.

92. *Anosmia* - - - - { Smell diminished, or de-
stroyed.

SPECIES.

1. *organica*.
2. *atonica*.

GENERA.

93. *Ageustia* - - - - { Taste diminished, or destroyed.
94. *Anæsthesia* - - { Touch diminished, or destroyed.

CLASS IV. LOCALES.

ORDER II. DYSOREXIÆ.

95. *Bulimia* - - - - { Appetite voracious or canine.

SYMPTOMATIC.

1. verminosa.
2. a rachitide.
3. ab acidis.

96. *Pica* - - - - - { Appetite depraved, or a strong desire of unnatural food.

SPECIES.

1. *infantilis*.
2. *chlorotica*.
3. *gravidarum*.
4. *medicatrix*.

97. *Polydipsia* - - - Excessive thirst.

SYMPTOMATIC.

1. febrilis.
2. hydropica.
3. fluxuum.
4. a venenis.

GENERA.

98. *Satyriasis* - - - { Excessive and violent desire for coition in men.

99. *Nymphomania* The same in women.

100. *Nostalgia* - - { Impatience when absent from one's native home, and vehement desire to return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. *Anorexia* - - Appetite impaired.

This is merely symptomatic.

102. *Anaphrodisia* Impotence.

SPECIES.

1. *paralytica*.
2. *gonorrhoeica*.

CLASS IV. LOCALES.

ORDER III. DYSCINESIÆ.

GENERA.

103. *Aphonia* - - - { Suppression of the voice,
without either syncope, or
coma.
104. *Mutitas* - - - Dumbness.

SPECIES.

1. *organica*.
2. *atonica*.
3. *surdorum*.

105. *Paraphonia* - Depravation of voice.
106. *Psellismus* - - { Vitiated articulation of the
voice.
107. *Strabismus* - Squinting.
108. *Contractura* - { A rigid contraction of a
joint.

SPECIES.

1. *ab inflammatione*.
2. *spasmo*.
3. *ob antagonistas paryliticos*.
4. *ab acrimonia irritante*.
5. *articularis*.

CLASS IV. LOCALES.

ORDER IV. APOCENOSES.

GENERA.

109. *Profusio* - - - Loss of blood.
 110. *Ephidrosis* - - { A violent and morbid
 sweating.

Generally symptomatic.

111. *Epiphora* - - A flux of tears.
 112. *Ptyalismus* - A salivation.
 113. *Enuresis* - - - { Involuntary discharge of
 urine.

SPECIES.

1. *atonica*.
2. *ab irritatione vel compressione vesicæ*.

114. *Gonorrhœa* - { A preternatural flux from
 the urethra in men.

SPECIES.

1. *pura*, not arising from impure connection, and without dysuria.
2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor

urinæ ; often phymosis ; paraphymosis ; and swelled testicles.

3. *laxorum*.

4. *dormientium*.

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. *Obstipatio* - - Costiveness.

SPECIES.

1. *debilium*.

2. *rigidorum*.

3. *obstructorum*.

116. *Ischuria* - - - Suppression of urine.

SPECIES.

1. *renalis*.

2. *ureterica*.

3. *vesicalis*.

4. *urethralis*.

117. *Dysuria* - - - { Difficulty, and pain, in dis-
charging water.

SPECIES.

1. *ardens*.

2. *spasmodica*.

3. *compressionis*.

4. *phlogistica*.

5. *calculosa*.

6. *mucosa*.

GENERA.

118. *Dyspermatis-* { Seminis in actu venereo
mus - - - - { tarda, impedita, et ad
generationem insufficiens
emissio.
119. *Amenorrhœa* { Menses wholly or partially
obstructed without preg-
nancy.

CLASS IV. LOCALES.

ORDER VI. TUMORES.

120. *Aneurisma* - { A soft tumour, with pulsa-
tion, on arteries.
121. *Varix* - - - - { A soft tumour, without
pulse, on veins.
122. *Ecchymoma* - { A black and blue swelling,
either from a bruise, or
from a morbid extravasa-
tion of blood.
123. *Schirrus* - - - { A hard tumour of a glan-
dular part, indolent, and
not readily suppurating.

GENERA.

124. *Cancer* - - - - { A hard tumour of a glandular part, painful and obstinate, which terminates in the foulest ulcer.
125. *Bubo* - - - - { A suppurating tumour of conglobate glands.
126. *Sarcoma* - - - { A soft excrescence, not painful.
127. *Verruca* - - - A wart.
128. *Clavus* - - - A corn.
129. *Lupia* - - - - { A cyst under the skin, moveable, soft, indolent.
130. *Ganglion* - - - { A hard tumour, moveable, on the tendon.
131. *Hydatis* - - - { A cuticular cyst full of an aqueous fluid.
132. *Hydarthus* - { A white swelling on the joints.
133. *Exostosis* - - - { A hard tumour on the bone.

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

GENERA.

134. *Hernia* - - - { The displacing of a soft
part, covered by the com-
mon teguments. A rup-
ture.
135. *Prolapsus* - - { The protrusion of a soft
part, uncovered.
136. *Luxatio* - - - The disjointing of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

137. *Vulnus* - - - A wound.
138. *Ulcus* - - - - { An ulcer discharging pus
or ichor.
139. *Herpes* - - - - { Tetters, or an assemblage
of little creeping ulcers,
itching much, and not in-
clined to heal, but ter-
minating in furfuraceous
scales.

GENERA.

140. *Tinea* - - - - { *A scald head.* Small ulcers
at the root of the hairs,
which produce a friable
white crust.
141. *Psora* - - - - { *The itch.* Small pustules
with watery heads, ap-
pearing first on the wrists,
and between the fingers.
Contagious.
142. *Fractura* - - The fracture of bones.
143. *Caries* - - - - The exulceration of bones.

GENERAL INDEX;

WITH

AN EXPLANATION OF THE TERMS.

A.	Cl.	Or.	Gen.
ADYNANIE, <i>A defect of Vital Powers</i> ; } from α, privitive; and Δυναμις, } Power }	II	II	
AGEUSTIA, Ἀγευσία, <i>Want of taste</i> . .	IV	I	93
AGUE. V. FEBRIS INTERMITTENS.			
AMAUROSIS, <i>Gutta Serena</i> ; Ἀμαυρωσις, } Obscurity }	IV	I	87
..... COMPRESSIONIS, <i>from</i> <i>a pressure of the Optic Nerve.</i>			
..... ATONICA, <i>from Debility.</i>			
..... SPASMODICA, <i>from</i> <i>Spasm.</i>			
..... VENENATA, <i>from Poison.</i>			
AMENORRHŒA, <i>Suppression of the</i> <i>Menses</i> ; from α priv. Μηνες, the } Menses; and Ρεω, to flow . . }	IV	V	119
AMENTIA, <i>Idiotism</i>	II	IV	57
ANÆSTHESIA, Ἀναισθησία, <i>Want of</i> <i>Sensation</i> }	IV	I	94
ANAPHRODISIA, <i>Impotence</i> ; from α, priv. and ἀφροδισια, the Feast of } Venus }	IV	II	102

	Cl.	Or.	Gen.
ANASARCA, <i>Dropsy of the whole Body</i> ; } from <i>Ανα</i> , along; and <i>Σαξξ</i> , the } Flesh }	III	II	68
..... SEROSA, <i>from a retention, or</i> <i>from an over increase of Serum.</i>			
..... EXANTHEMATICA, <i>from</i> <i>Exanthemata. V. EXANTHEMATATA.</i>			
..... A COMPRESSIONE, <i>from</i> <i>an Interruption of the Circulation.</i>			
..... DEBILIUM, <i>from Debility.</i>			
ANEURISMA, <i>Tumour of an Artery</i> ; from } <i>Ανευρυσμος</i> , Dilatation }	IV	VI	120
ANOREXIA, <i>Want of Appetite</i> ; from <i>α</i> , } neg. and <i>Ορεξις</i> , Appetite . . }	IV	II	101
ANOSMIA, <i>Ανοσμος</i> , <i>Without Smell</i> . . }	IV	I	92
..... ORGANICA, <i>from a disease</i> <i>of the Schneiderian Membrane.</i>			
..... ATONICA, <i>no manifest cause</i> <i>appearing.</i>			
APHONIA, <i>Loss of Voice</i> ; from <i>α</i> , priv. } and <i>Φωνη</i> , the Voice }	IV	III	103
APHRODISIACUS, <i>Venerical Excess</i> ; from <i>Αφροδισιακος</i> , Venerous.			
APOCENŌSES, <i>Excessive Discharges.</i>			
APOPLEXIA, <i>Apoplexy</i> ; from <i>Απο</i> and } <i>Πλησσω</i> , to strike }	II	I	36
..... SANGUINEA, <i>Sanguine-</i> <i>ous, from excess of Blood.</i>			
..... SEROSA, <i>Serous, in per-</i> <i>sons of a cold temperament.</i>			
..... HYDROCEPHALICA, <i>Hydrocephalic</i> ; from <i>Υδωρ</i> , Wa- <i>ter</i> ; and <i>κεφαλη</i> , the Head.			
..... ATRABILARIA, <i>from</i> <i>the suffusion of black Bile over the</i> <i>System.</i>			
..... TRAUMATICA, <i>from</i> <i>external Violence</i> ; from <i>Τραυμα</i> , <i>αλος</i> , a Wound.			

	Cl.	Or.	Gen.
APOPLEXIA VENENATA, <i>from poison.</i>			
..... SUFFOCATA, <i>from Suffocating Exhalations.</i>			
..... MENTALIS, <i>from passions of the Mind.</i>			
..... CATALEPTICA. <i>The Catalepsy; from Καταληψις, a Seizure. The patient on a sudden becomes stiff, and observes the same posture during the fit.</i>			
APPETITE, <i>Depraved.</i> V. DYSOREXIA.			
..... <i>Want of.</i> V. ANOREXIA.			
ARTHRITICUS, <i>Artbritic; from Αρθριτις, a disease in the Joints.</i>			
V. PODAGRA.			
ARTHRODYNIA, <i>Chronic Rheumatism; from Αρθρον, a Joint; and Οδυνη, Pain.</i> V. RHEUMATISMUS.			
ARTHROPUOSIS, <i>Inflammation occasioning a Collection of Matter; from Αρθρον, a Joint; and Πυωσις, Suppuration</i>	I	II	21
ASCITES, <i>Dropsy of the Abdomen; from Ασκις, a Sack</i>	III	II	72
..... ABDOMINALIS, <i>The Abdominal, an equal swelling of the whole Abdomen.</i>			
..... SACCATUS, <i>The Encysted, the fluctuation is here less evident, and the Swelling of the Abdomen at the first partial.</i>			
ASTHMA, <i>Frequent attacks of short breathing; from Ασμι, to breathe</i> . . .	II	III	47
..... SPONTANEUM, <i>without any manifest cause.</i>			
..... PLETHORICUM, <i>from Plethora.</i>			

	Cl.	Or.	Gen.
ASTHMA EXANTHEMATICUM, <i>Exanthematic; from the repulsion of some humour. V. EXANTHE-</i> <i>MATA.</i>			
ATROPHIA, A Slow Decay, or Atrophy; from α, priv. and Τροφν, Nutri- tion }	III	I	63
. INANITORUM, <i>from too great Evacuations.</i>			
. FAMELICORUM, <i>from famine.</i>			
. CACOHYMICA, <i>from cor-</i> <i>rupted Nourishment.</i>			
. DEBILIUM, <i>from an imper-</i> <i>fection in the digestive Organ.</i>			
B.			
BUBO* ; from Βυζων, a Swelling in the Groin }	IV	VI	125
BULIMIA, Canine Appetite; from Βυς, an Ox; and λιμς, Hunger . . . }	IV	II	95
BLEEDING at the Nose. V. EPISTAXIS.			
BLOOD, Extravasation of. V. ECCHY- MOMA.			
BLOODY FLUX. V. PROFUSIO.			
BREATHING, Difficult. V. ASTHMA, or DYSPNŒA.			
C.			
CACHEXIA, A bad habit of body; from } κακος, bad; and Εξς, a habit . }	III		
CALIGO, The Cataract	IV	I	86
CANCER, Cancer, a Crab	IV	VI	124
CANINE APPETITE. V. BULIMIA.			
CARDITIS, Inflammation of the Heart; } from Καρδς, the Heart . . . }	I	II	9

* The vowels are placed first in this Index; then follow the consonants.

	Cl.	Or.	Gen.
CARIES, <i>Rottenness in the Bones</i>	IV	VIII	143
CATARACT. <i>V. CALIGO.</i>			
CATARRHUS, <i>Catarrh</i> ; from <i>Κατάραξ</i> , } a Defluxion }	I	V	34
..... A FRIGORE, <i>from cold.</i>			
..... A CONTAGIO, <i>from</i> <i>Contagion. The Influenza.</i>			
CATARRH. <i>V. CATARRHUS.</i>			
CÆLIAC PASSION. <i>V. DIARRHŒA.</i>			
COLICA, <i>The Colic</i> ; from <i>Κόλον</i> , the Co- } lon }	II	III	51
..... SPASMODICA, <i>Spasmodic</i> , ari- sing from Spasms of the Abdo- minal Muscles.			
..... PICTONUM, <i>The Painters, or</i> <i>Devonsbire Colic.</i> It arises from the poison of lead.			
..... STERCOREA, <i>in persons of a</i> <i>costive Habit.</i>			
CONSUMPTION. <i>V. PHTHISIS.</i>			
CONTRACTURA, <i>Contraction of the</i> } <i>Limbs</i> }	I	III	108
..... AB INFLAMMA- TIONE, <i>from inflammation.</i>			
..... SPASMO, <i>from spasm.</i>			
..... OB ANTAGONIS- TAS PARALITICOS, <i>from the</i> <i>Antagonist Muscles losing their</i> <i>action.</i>			
..... OB ACRIMONIA IRRITANTE, <i>from some irritat-</i> <i>ing cause.</i>			
..... ARTICULARIS, <i>from</i> <i>stiffness in the Joints.</i>			
CONVULSIO, <i>Convulsions</i>	II	III	42
CORNS. <i>V. CLAVUS.</i>			
CORPULENCY. <i>V. POLYSARCIA.</i>			
COSTIVENESS. <i>V. OBSTIPATIO.</i>			
CHICKEN POX. <i>V. VARICELLA.</i>			

	Cl.	Or.	Gen.
CHILBLAIN. <i>V. PHLOGOSIS, ERY- THEMA.</i>			
CHLORŌSIS, <i>The Green Sickness</i> ; from } Χλωρος, green, pale }	III	III	85
CHOLĒRA; from Χολη, the Bile . . .	II	III	52
CHOLERA, <i>The Cholera Morbus</i> ; from Χολη, the Bile.			
CHOREA, <i>St. Vitus's Dance</i> ; from Χορεία, } Dancing }	II	III	43
CLAP. <i>V. GONORRHŒA.</i>			
CLAVUS, <i>A Corn</i>	IV	VI	128
CROUP. <i>V. CYNANCHE TRACHEALIS.</i>			
CYNANCHE; from κυων, a Dog; and } Αγχα, to suffocate }	I	II	7
..... MALIGNA. <i>The putrid sore Throat.</i>			
..... PAROTIDÆA. <i>The Mumps.</i>			
..... TRACHEALIS. <i>The Croup.</i>			
..... TONSILLARIS. <i>Inflam- matory Quinsy.</i>			
CYSTITIS, <i>Inflammation of the Bladder</i> ; } from κυστις, the Bladder . . . }	I	II	16
D.			
DEAFNESS. <i>V. DYSECŒA.</i>			
DEFECT in Vision. <i>V. DYSOPIA.</i>			
DIABĒTES, <i>Immoderate flow of Urine</i> ; } from Δια, through; and βαϊνω, to pass }	II	III	54
DIALŶSES, <i>The Destruction of Parts</i> ; } from Διαλυω, to dissolve . . . }	IV	VIII	
DIARRHŒA, <i>A constant Looseness</i> ; from } Διαρρῆω, to flow through . . . }	II	III	53
..... CRAPULOSA, <i>The Fe- culent Diarrhœa</i> ; from Crapulo- sus, one who overloads his sto- mach.			

	Cl.	Or.	Gen.
DIARRHŒA BILIOSA, <i>The Bilious</i> ; from an overflow of Bile.			
..... MUCOSA, <i>The Mucous</i> ; a quantity of slime being voided.			
..... HEPATIRRHŒA, <i>The</i> <i>Hepatic</i> ; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected ; from <i>ἥπαρ</i> , the liver ; and <i>ρεῖω</i> , to flow.			
..... LIENTERIA. <i>The Lien-</i> <i>tery</i> ; the food passes unchanged.			
..... CŒLIACA. <i>The Celiac</i> <i>Passion</i> .			
..... VERMINOSA, <i>arising</i> <i>from Worms</i> .			
DIGESTION, Bad. <i>V. DYSPEPSIA.</i>			
DUMBNESS. <i>V. MUTITAS.</i>			
DYSÆSTHESIÆ ; <i>Δυσαισθησία</i> , Loss of } Sensation }	IV	I	
DYSECOËA, <i>Deafness</i> ; from <i>ἄυς</i> , diffi- } cult ; and <i>ἄκον</i> , hearing . . . }	IV	I	90
DYSENTERIA, <i>Dysentery</i> ; from <i>δυσεν-</i> } <i>τήρια</i> , Pain in the Bowels . . }	I	V	35
DYSŌPIA, <i>Defect in Vision</i> }	IV	I	88
..... TENEBRARUM, <i>Requiring</i> <i>objects to be placed in a strong light</i> .			
..... LUMINIS, <i>Objects only dis-</i> <i>cernible in a weak light</i> .			
..... DISSITORUM, <i>In which dis-</i> <i>tant objects are not perceived</i> .			
..... PRŌXIMORUM, <i>In which</i> <i>objects too near are not perceived</i> .			
..... LATERALIS, <i>In which objects</i> <i>are not seen, unless placed in an ob-</i> <i>lique position</i> .			
DYSOREXIA, <i>A Depraved Appetite</i> ; } from <i>ἄυς</i> , bad ; and <i>ὀρεξις</i> , Ap- } petite }	IV	II	

	Cl.	Or.	Gen.
DYSPERMATISMUS, <i>Difficult Emission of Semen</i> ; from Δυσ, difficult; and Σπέρμα, Seed	IV	V	118
DYSPEPSIA, <i>Bad Digestion</i> , from Δυσ, bad; and Πιπλω, to concoct	II	II	39
DYSŪRIA, <i>Difficulty in discharging Urine</i> ; from Δυσ, difficult; and Ουρον, Urine	IV	V	117
..... ARDENS, <i>A sense of heat, without any manifest disorder of the Bladder.</i>			
..... SPASMODICA, <i>from Spasm.</i>			
..... COMPRESSIONIS, <i>from a compression of the neighbouring parts.</i>			
..... PHLOGISTICA; <i>from violent Inflammation</i> ; from Φλογος, flamma.			
..... CALCULOSA, <i>from stone in the Bladder.</i>			
..... MUCOSA, <i>from an abundant secretion of Mucus.</i>			
DYSCINESIÆ, <i>Difficulty of Motion</i> ; from Δυσ, bad; and Κινω, to move	IV	III	
DYSPNŒA, <i>A constant Difficulty of Breathing</i> ; from Δυσ, difficult; and Πνω, to breathe	II	III	48
DROPSY of the Brain, <i>Hydrocephalus Internus. V. APOPLEXIA.</i>			
..... of the whole Body. V. ANASARCA.			
..... of the Abdomen. V. ASCITES.			
..... of the Womb or Ovaria. V. HYDROMETRA.			
..... of the Scrotum. V. HYDROCELE.			
E.			
ECTOPIÆ, <i>Parts Displaced</i> ; from Εκ- τοπος, out of its Situation	IV	VII	

	Cl.	Or.	Gen.
ECCHYMOMA ; Εκχυσμα, an Extra- vasation of Blood }	IV	VI	122
ELEPHANTIASIS, Ελεφας, an Elephant	III	III	80
EMPHYSEMA. V. PNEUMATOSIS.			
ENURESIS, An involuntary flow of Urine ; from Ενωρεω, to make water . . . }	IV	IV	113
..... ATONICA, the Sphincter of the Bladder having lost its tone from some previous disease.			
..... ab Irritatione, } from an irritation vel Compres- } or compression of sione vesicæ, } the bladder.			
ENLARGEMENT of the Abdomen. V. PHYSCONIA.			
ENTERITIS, Inflammation of the Intes- tines ; from Εντερον, the Intestine }	I	II	12
EPIPHORA, An involuntary flow of tears ; from Επιρορα, a Flood . . . }	IV	IV	111
EPILEPSIA, Epilepsy ; from Επιειψις, a Swoon }	II	III	45
..... TRAUMATICA, from an injury of the Head.			
..... A DOLORE, from Pain.			
..... VERMINOSA, from Worms.			
..... EXANTHEMATICA, from an Eruption drove in.			
..... A CRUDITATE VEN- TRICULI, from crudities of the Stomach.			
..... AB INANITIONE, from Debility.			
..... UTERINA, from Hysteric Affections. V. HYSTERIA.			
EPHIDROSIS, Excessive Sweating ; Ερυ- δεις, abundant in Water . . . }	IV	IV	110
EPISCHÊSES. Επισχεισις, Retention . . .	IV	V	
EPISTAXIS, Bleeding at the Nose . . .	I	IV	29
ERYSIPELAS, St. Anthony's Fire . . .	I	III	22

	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM, <i>with large Blisters.</i>			
..... PHLYCTÆNODES, <i>with Phlyctenæ, or small Blisters; from Φλυκίτινωδης, Pustulæ Similis.</i>			
EXANTHEMATA, <i>Eruptions; from Εξ-ανθήματα, a Pustule</i>	I	III	
EXOSTÖSIS, <i>Tumour on the Bones; from Εξ and Οστέον, a Bone</i>	IV	VI	133
F.			
FAINTING. <i>V. SYNCOPE.</i>			
FEBRIS INTERMITTENS, <i>An Intermittent Fever, or Ague</i>	I	I	1
..... CONTINUA, <i>a continued Fever</i>	I	I	2
HECTICA, <i>an hectic Fever</i>	I	I	3
FUROR UTERINUS. <i>V. NYMPHOMANIA.</i>			
FLUXES. <i>V. PROFLUVIA.</i>			
FRACTURA, <i>A Fracture</i>	IV	VIII	142
FRAMBŒSIA, <i>The Yaws; from Framboise, Fr. a Raspberry</i>	I	III	82
G.			
GANGLION, <i>A Tumour on a Tendon</i>	IV	VI	130
GASTRITIS, <i>An Inflammation of the Stomach; from Γαστήρ, the Stomach</i>	I	II	11
..... PHLEGMONODEA, <i>with Phlegmon; from Φλεγών, to burn.</i>			
..... ERYSIPEL ATOSA, <i>from Ερυσίπελας, a red Tumour. An Erysipelatous redness is observed about the fauces.</i>			
GOUT. <i>V. PODAGRA.</i>			
GONORRHŒA; <i>from Γονορροία, a Flux of Seed</i>	IV	IV	114
..... PURA, <i>not arising from impure connection.</i>			

	Cl.	Or.	Gen.
GONORRHŒA IMPURA, arising from <i>Venereal Virus.</i>			
..... LAXORUM, the person <i>being awake.</i>			
..... DORMIENTIUM, from <i>an impure imagination when asleep.</i>			
GUTTA SERENA. <i>V. AMAUROSIS.</i>			
GREEN SICKNESS. <i>V. CHLOROSIS.</i>			
H.			
HÆMOPTYSIS, <i>Spitting of Blood</i> ; from <i>Αἷμα</i> , blood; and <i>Πτύω</i> , to spit } PLETHORICA, from <i>fulness of the Vessels.</i>	I	IV	30
..... VIOLENTA, from some <i>external violence.</i>			
..... PHTHISICA, <i>Consump-</i> <i>tive</i> ; from <i>φθίω</i> , to waste.			
..... CALCULOSA, from cal- <i>careous matter in the Lungs.</i>			
..... VICARIA, from the sup- <i>pression of some customary evacua-</i> <i>tion. The termination of an</i> <i>Hæmoptysis is in Phthisis.</i>			
HÆMORRHAGIÆ, <i>Hæmorrhages</i> ; from } <i>Αἱμορραγία</i> , an Eruption of Blood }	I	IV	
HÆMORRHOIS, <i>The Piles</i> ; from <i>Αἱμορ-</i> } <i>ροίς</i> , a Flux of Blood }	I	IV	32
HEMIPLEGIA, <i>Palsy of one Side. V.</i> <i>PARALYSIS.</i>			
HECTIC FEVER. <i>V. FEBRIS HECTICA.</i>			
HEPATITIS, <i>Inflammation of the Liver</i> .	I	II	13
HERNIA, <i>A Rupture</i>	IV	VII	134
HERPES, <i>Tetters</i> ; from <i>Ερπω</i> , to creep .	IV	VIII	139
HOOPING COUGH. <i>V. PERTUSSIS.</i>			
HYDARTHUS, <i>A White Swelling</i> ; from } <i>ὕδωρ</i> , Water; and <i>ἄρθρον</i> , a Joint }	IV	VI	132

	Cl.	Or.	Gen.
HYDÄTIS, <i>An hydatid; from ὕδαλις, a</i>			
Bladder }	IV	VI	131
HYDROCĒLE, <i>Dropsy of the Scrotum; from ὕδωρ, Water; and Κελη, a</i>			
Swelling }	III	II	74
HYDROCEPHALUS EXTERNUS, <i>Ex-</i>			
<i>ternal Swelling of the Head; from ὕδωρ, Water; and Κεφαλη, the</i>			
Head }	III	II	69
HYDROCEPHÄLUS INTERNUS,			
<i>Dropsy of the Brain; from ὕδωρ,</i>			
<i>Water; and Κεφαλη, the Head.</i>			
V. APOPLEXIA.			
HYDROMĒTRA, <i>Dropsy of the Womb and</i>			
<i>its Appendages; from ὕδωρ, Wa-</i>			
<i>ter; and Μήτρα, the Womb .</i>	III	II	73
HYDROPHOBIA, <i>Canine Madness; from</i>			
<i>ὕδωρ, Water; and Φόβος, to dread</i>	II	III	56
HYDRORACHITIS, <i>The Spina Rifida; from ὕδωρ, Water; and Ραχίς,</i>			
<i>the Back-bone }</i>	III	II	70
HYDROTĤÖRAX, <i>Dropsy of the Chest; from ὕδωρ, Water; and Θώραξ,</i>			
<i>the Breast }</i>	III	II	71
HYPOCHONDRIASIS, <i>Hypochondriac Af-</i>			
<i>fections; from ὑποχονδριακος, one</i>			
<i>who is hipped }</i>	II	II	40
HYSTERIA, <i>Hysterics; from ὕσσις, the</i>			
<i>Womb }</i>	II	III	55
..... CHLOROTICA, <i>from a re-</i>			
<i>tention of the Menses. V. CHLO-</i>			
<i>ROSIS.</i>			
..... A MENORRHAGIA, <i>from</i>			
<i>an immoderate flow of the Menses.</i>			
V. MENORRHAGIA.			
..... A LEUCORRHŒA, <i>from</i>			
<i>the Fluor Albus; from Λευκος,</i>			
<i>white; and ρεω, to flow. V. ME-</i>			
<i>NORRHAGIA.</i>			

	Cl.	Or.	Gen.
HYSTERIA LIBIDINOSA, <i>from Sensual</i>	III	III	84
<i>Desires</i> }			
HYSTERITIS, <i>Inflammation of the Uterus</i>	I	II	17
I.			
ICTĒRUS, <i>The Jaundice.</i>			
. CALCULOSUS, <i>from Gall</i>			
<i>Stones.</i>			
. SPASMODICUS, <i>from Spasm.</i>			
. MUCOSUS, <i>from Mucus ob-</i>			
<i>structing the Hepatic Duct.</i>			
. HEPATICUS, <i>from an indu-</i>			
<i>ration of the Liver.</i>			
. GRAVIDARUM, <i>from preg-</i>			
<i>nancy, and disappearing after de-</i>			
<i>livery.</i>			
. INFANTUM, <i>of Infants.</i>			
IDIOTISM. <i>V. AMENTIA.</i>			
IMPEŖIGINES, <i>Diseases which deform the</i>	III	III	
<i>Surface</i> }			
INFLAMMATION of the Eye. <i>V.</i>			
OPHTHALMIA.			
. Intestines. <i>V.</i>			
ENTERITIS.			
. Uterus. <i>V.</i>			
HYSTERITIS.			
. Bladder. <i>V.</i>			
CYSTITIS.			
. Brain. <i>V.</i>			
PHRENITIS.			
. Heart. <i>V.</i>			
CARDITIS.			
. Kidney. <i>V.</i>			
NEPHRITIS.			
. Liver. <i>V.</i>			
HEPATITIS.			
. Lungs. <i>V.</i>			
PERIPNEUMONIA.			

	Cl.	Or.	Gen.
INFLAMMATION of the Peritonæum. <i>V.</i> PERITONITIS.			
..... Pleura. <i>V.</i> PLEURITIS.			
..... Spleen. <i>V.</i> SPLENITIS.			
..... Stomach. <i>V.</i> GASTRITIS.			
INFLAMMATORY QUINSY. <i>V.</i> CY- NANCHE TONSILLARIS.			
INFLATION of the Uterus. <i>V.</i> PHYSO- METRA.			
..... Abdomen. <i>V.</i> TYM- PANITES.			
INSANIA. <i>Insanity or a deranged Imagina- tion</i> }	II	IV	59
INTERMITTENS, <i>An Intermittent Fever or Ague</i> }	I	I	1
..... QUOTIDIANA, <i>Quotidian.</i> The paroxysms re- turn in the <i>morning</i> , at an in- terval of about twenty-four hours.			
..... TERTIANA, <i>Ter- tian.</i> The paroxysms commonly come on at <i>mid-day</i> , at an inter- val of about forty-eight hours.			
..... QUARTANA, <i>Quartan.</i> The paroxysms come on in the <i>afternoon</i> , with an interval of about seventy-two hours.			
INTUMESCENTIA, <i>Swellings</i>	III	II	
ISCHURIA, from <i>ἰσχυρία</i> , a Suppression of Urine }	IV	V	116
..... RENALIS, <i>Coming after a disease of the Kidney, with a troublesome sense of weight in that part.</i>			

	Cl.	Or.	Gen.
ISCHURIA URETERICA, <i>After a disease of the Kidneys, a sense of pain or uneasiness in some part of the Urethra.</i>			
..... VESICALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium; pain at the neck of the Bladder.</i>			
..... URÆTHRALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium, and pain in some part of the Urethra.</i>			
JAUNDICE. <i>V. ICTERUS.</i>			
K.			
KING'S EVIL. <i>V. SCROFULA.</i>			
L.			
LEPRA, <i>Leprosy.</i>	III	III	81
LIENTERY. <i>V. DIARRHŒA.</i>			
LOCALES, <i>Local Affections.</i>			
LOCKED JAW, or TRISMUS. <i>V. TETANUS.</i>			
LONGINGS OF WOMEN. <i>V. PICA.</i>			
LUES VENEREA. <i>V. SYPHILIS and GONORRHŒA.</i>			
LUMBĀGO. <i>V. RHEÛMATISMUS.</i>			
LUMBAR ABSCESS. <i>V. ARTHROPO- OSIS.</i>			
LUPIA, <i>A Soft Swelling under the Skin . .</i>	IV	VI	129
LUXATIO, <i>A Luxation</i>	IV	VII	136
M.			
MADNESS, MELANCHOLY. <i>V. ME- LANCHOLIA.</i>			
..... HAPPY. <i>V. INSANIA.</i>			
..... FURIOUS. <i>V. MANIA.</i>			

	Cl.	Or.	Gen.
MANIA, <i>Raving or Furious Madness.</i> . . .	II	IV	60
MARCÖRES, <i>Wasting</i>	III	I	
MEASLES. <i>V. RUBEOLA.</i>			
MELANCHOLIA, <i>Melancholy Madness.</i>	II	IV	58
MENORRHAGIA, <i>Immoderate flow of the</i> <i>Menses; from Mην, a Month; }</i> <i>and Ραγας, a Rupture</i> . . . }	I	IV	33
..... RUBRA, <i>Proper; from</i> <i>women neither with child nor in</i> <i>child-birth</i>			
..... ALBA, <i>Serous; the</i> <i>Flux Albus, or Whites.</i>			
..... VITRIORUM, <i>from</i> <i>some local disease.</i>			
..... ABORTUS, <i>Abortive;</i> <i>from Women with child.</i>			
..... LOCHIALIS, <i>from</i> <i>Women after delivery.</i>			
MENSES, <i>Immoderate flow of. V. ME-</i> <i>NORRHAGIA.</i>			
..... <i>Suppression of. V. AMENOR-</i> <i>RHŒA.</i>			
MILIARIA, <i>Miliary Fever</i>	I	III	27
MOTION IMPEDED. <i>V. DYSCINESIA.</i>			
MUMPS. <i>V. CYNANCHE PAROTIDŒA.</i>			
MUTITAS, <i>Dumbness</i>	IV	III	104
N.			
NEPHRITICUS, <i>Nephritic; from Νεφρι-</i> <i>της, a disease of the Kidney.</i>			
NEPHRITIS <i>Inflammation of the Kidney; }</i> <i>from Νεφρος, the Kidney</i> . . . }	I	II	15
NERVOUS FEVER. <i>V. TYPHUS MI-</i> <i>TIOR.</i>			
NEUROSES, <i>Nervous Diseases; from Νευ-</i> <i>ρον, a Nerve</i> }	II		
NIGHT-MARE. <i>V. ONEIRODYNIA</i> <i>GRAVANS.</i>			

	Cl.	Or.	Gen.
NOSTALGIA, <i>Veheement desire of revisiting one's Country</i> ; from <i>Νοστω</i> , to return; and <i>Αλγος</i> , pain . . . }	IV	II	100
NYMPHOMANIA, <i>Furor Uterinus</i> ; from <i>Νυμφια</i> , Nympha; and <i>Μανια</i> , Madness }	IV	II	99
O.			
OBSTIPATIO, <i>Costiveness</i> }	IV	V	115
DEBILIUM, <i>In weak and commonly dyspeptic persons.</i>			
RIGIDORUM, <i>In persons of rigid fibres and a melancholy temperament.</i>			
OBSTRUCTORUM, <i>from obstructions. V. COLICA.</i>			
ODONTALGIA, <i>The Tooth-ache</i> ; from <i>Οδον</i> , a Tooth; and <i>Αλγος</i> , Pain }	I	II	12
ONEIRODYNIA, <i>Disturbed Sleep</i> ; from <i>Ονειρον</i> , a Dream; and <i>Οδυνη</i> , Anxiety }	II	IV	61
GRAVANS, <i>The Night-Mare.</i>			
OPHTHALMIA, <i>Inflammation of the Eye</i> ; from <i>Οφθαλμος</i> , the Eye . . . }	I	II	3
P.			
PALPITATIO, <i>Palpitation of the Heart</i> .	II	III	4
PALSY OF ONE SIDE, <i>Hemiplegia. V. PARALYSIS.</i>			
PARACŪSIS, <i>Singing in the Ears</i> ; from <i>Παρεξ</i> , Wrong; and <i>ακουε</i> , to hear }	IV	I	91
IMPERFECTA, <i>When existing sounds are not heard as usual.</i>			
IMAGINARIA, <i>When imaginary sounds are heard.</i>			
PARALYSIS, <i>Palsy</i> ; from <i>Παρεσληναι</i> , to loose }	II	I	37

	Cl.	Or.	Gen.
PARALYSIS PARTIALIS, <i>Partial; Palsy of some particular muscles.</i>			
..... HEMIPLEGICA, <i>Paralysis of one side; from Ἡμιπληξ, ἤγος, dimidia parte percussus.</i>			
..... PARAPLEGICA, <i>Palsy of one half of the body; from Παράπληγις.</i>			
..... VENENATA, <i>From the sedative effects of poisons. V. COLICA PICTORUM.</i>			
PARAPLEGIA, <i>Palsy of half of the Body taken transversely. V. PARALYSIS.</i>			
PARAPHONIA, <i>Alteration of the Voice; from Πάρα, Wrong; and Φωνή, Sound</i>	IV	III	105
PERIPNEUMONIA, <i>Peripneumony, or Inflammation of the Lungs. V. PNEUMONIA.</i>			
PERITONĪTIS, <i>Inflammation of the Peritonæum</i>	I	II	101
PERTUSSIS, <i>The Hooping Cough . . .</i>	II	III	49
PESTIS, <i>The Plague</i>	I	III	23
PICA, <i>Particular Longings</i>	IV	II	96
PILES. V. HÆMORRHOÏS.			
PODAGRA, <i>The Gout; from Πύς, the Foot; and Ἀγρᾶ, taken . . .</i>	I	II	20
..... REGULARIS, <i>The Regular.</i>			
..... ATONICA, <i>Atonic; from Ἀτονός, a neg. and Τεννῶ, to stretch.</i>			
..... RETROGRADA, <i>Retrocedent.</i>			
..... ABERRANS, <i>Misplaced, or wandering.</i>			
POLYDIPSIA, <i>Excessive Thirst; from Πολύς, much; and Ἀψή, Thirst</i>	IV	IV	97
POLYPUS. V. SARCOMA.			

	Cl.	Or.	Gen.
POLYSARCHIA, <i>Corpulency</i> ; from Πολυς, much; and Σαρξ, Flesh. . . }	III	II	64
PUTRID FEVER. V. TYPHUS GRAVIOR.			
PUTRID SORE THROAT. V. CYNANCHE MALIGNA.			
PHLOGŌSIS, <i>Inflammation</i> ; from Φλοξ, } λος, Flamma }	I	II	4
..... PHLEGMONE, <i>with Pblegmon</i> ; from Φλεγμονη, Vivid Inflammation.			
..... ERYTHEMA; from Ερυθμα, Redness.			
PHRENĪTIS, <i>Phrensy, or Inflammation of the Brain</i> ; from Φρεν, the Mind }	I	II	6
PHTHISIS, <i>Pulmonary Consumption</i> ; from Φθίω, to consume }	I	IV	31
..... INCIPIENS, <i>Incipient</i> ; without any expectoration of Pus.			
..... HUMIDA, <i>Purulent</i> ; with an expectoration of Pus.			
..... SCROPHULOSA; from Σκροφουλα, Tubercles in the Lungs.			
..... HÆMOPTOICA, <i>from Hæmoptysis.</i>			
..... EXANTHEMATICA, <i>From Exanthemata.</i>			
..... CHLOROTICA, <i>From Chlorosis.</i>			
..... SYPHILITICA, <i>From a Venereal Ulcer in the Lungs.</i>			
PHYSCONIA, <i>Enlargement of the Abdomen</i> ; from Φυσκων, a big-bellied fellow }	III	II	75
PHYSOMETRA, <i>Windy Swelling of the Uterus</i> ; from Φυσσω, to inflate; and Μελξα, the Womb . . . }	III	II	67
PLAGUE. V. PESTIS.			

	Cl.	Or.	Gen.
PLEURĪTIS, <i>Pleurisy, or Inflammation of the Pleura.</i> V. PNEUMONIA.			
PLICA POLONICA. V. TRICHOMA.			
PNEUMATOSIS, <i>Emphysema, or Windy Swellings</i> }	III	II	65
..... SPONTANEA, <i>Without any manifest cause.</i>			
..... TRAUMATICA, <i>From a Wound.</i>			
..... VENENATA, <i>From Poison.</i>			
..... HYSTERICA, <i>With Hysteria.</i>			
PNEUMONIA, from Πνευμων, the Lungs	I	II	8
PROFLUVIA, <i>Fluxes</i>	I	V	
PROFUSIO, <i>The Bloody Flux</i>	IV	IV	109
PROLAPSUS, <i>A Protrusion</i>	IV	VII	135
PROTRUSION, or Falling down. V. PROLAPSUS.			
PSEUDOBLEPSIS, <i>Imaginary Vision of objects; from Ψευδος, false; and Βλεψις, sight</i> }	IV	I	89
..... IMAGINARIA, <i>In which objects are perceived which are not present.</i>			
..... MUTANS, <i>In which objects that are present appear somehow changed.</i>			
PSELLISMUS, <i>Defect of Speech; from Ψελλισμα, Hesitation of Speech</i> }	IV	III	106
PSORA, Ψωρα, the Itch	IV	VIII	141
PTYALISMUS, <i>A Salivation</i>	IV	IV	112
PYREXIÆ, <i>Febrile Diseases; from πυρεξια, Fever</i> }	I		
PYRŌSIS, <i>Heart-burn; from πυρωσις, a Burning</i> }	II	III	50
R.			
RACHĪTIS, <i>The Rickets, from ραχις, the Back-bone</i> }	III	II	76

	Cl.	Or.	Gen.
RAPHANIA, from <i>Ραρχαν</i> , the radish, or charlock; eating the Seeds of which will occasion this disease }	II	III	44
RICKETS. <i>V.</i> RACHITIS.			
RUBEOLA, <i>The Measles</i> ; from <i>Rubeo</i> , to become red }	I	III	26
RUPTURE. <i>V.</i> HERNIA.			
RHEUMATISM, Chronic. <i>V.</i> ARTHRO- DYNIA.			
RHEUMATISMUS, <i>The Rheumatism</i> , from <i>Ρευμαλισμος</i> , a Defluxion }	I	II	18
S.			
SALIVA, <i>Flux of.</i> <i>V.</i> PTYALISMUS.			
SARCOMA, <i>An Excrescence</i> , from <i>Σαρκῶς</i> , Flesh }	IV	VI	126
SATYRIASIS, <i>Excessive desire after Ve-</i> <i>nery</i> }	IV	II	98
SEED, <i>Preternatural flow of.</i> <i>V.</i> GONOR- RHOEA.			
SENSATION, <i>Want of.</i> <i>V.</i> ANÆSTHE- SIA.			
SINGINGS IN THE EAR. <i>V.</i> PARA- CUSIS.			
SCALD HEAD. <i>V.</i> TINEA.			
SCARLATINA, <i>The Scarlet Fever</i> . . .	I	III	28
..... SIMPLEX, <i>The Mild.</i>			
..... CYNANCHICA, <i>With</i> <i>ulcerated sore throat, or Cynanche.</i>			
SCIATICA. <i>V.</i> RHEUMATISMUS.			
SCORBUTUS, <i>Scurvy</i>	III	III	79
SCURVY. <i>V.</i> SCORBUTUS.			
SCHIRRHUS, <i>Σχιρρος</i> , a Chip of Marble	IV	VI	123
SCROPHULA, <i>The King's Evil</i> ; Scro- fula, a Pig }	III	III	77
SMALL POX. <i>V.</i> VARIOLA.			
SMELL, <i>Loss of.</i> <i>V.</i> ANOSMIA.			
SPASMI, <i>Spasmodic Diseases</i> , from <i>Σπασω</i> , to contract	II	III	

	Cl.	Or.	Gen.
SPEECH, <i>Defect of.</i> V. PSELLISMUS.			
SPITTING OF BLOOD. V. HÆMOP- TYSIS.			
SPLENITIS, <i>Inflammation of the Spleen</i> . .	I	II	14
SQUINTING. V. STRABISMUS.			
ST. ANTHONY'S FIRE. V. ERYSIPE- LAS.			
ST. VITUS'S DANCE. V. CHOREA.			
STRABISMUS, στραβισμός, Squinting . .	IV	III	107
SWEATING. V. EPHYDROSIS.			
SWELLING OF THE HEAD, External. V. HYDROCEPHALUS EXTER- NUS.			
SYNŌCHA, συνσχος, continued. V. FE- BRIS CONTINUA.			
SYNCŌPE, <i>Fainting</i> ; from συνκτείνω, to } strike down }	II	II	38
..... CARDIACA, <i>The Cardiac</i> <i>Syncope</i> ; arising from some or- ganic affection of the heart, or neighbouring vessels, and re- turning without any manifest cause.			
..... OCCASIONALIS, <i>The ex-</i> <i>citing cause being manifest.</i>			
SYPHĪLIS, <i>Lues Venerea</i>	III	III	78
T.			
TABES, <i>A Wasting of the Body</i>	III	I	62
..... PURULENTA; <i>from an ulce-</i> <i>rous discharge.</i>			
..... SCROPHULOSA; <i>from a scro-</i> <i>phulous habit.</i>			
..... VENENATA; <i>from Poison.</i>			
TASTE, <i>Want of.</i> V. AGEUSTIA.			
TEARS, <i>A Flux of.</i> V. EPIPHORA.			
TETĀNUS, <i>Spasm with Rigidity</i> , from τετα, to stretch.			

	Cl.	Or.	Gen.
TETĀNUS OPISTHOTONOS, <i>Where the body is thrown back by spasmodic contractions of the Muscles; from Οπισθοτονος, bent back.</i>			
..... EMPROSTHOTONOS, <i>The body being bent forwards; from Εμπροσθεν, before; and τανω, to stretch.</i>			
..... TRISMUS, <i>The Locked Jaw; from Τρισμος, stridor.</i>			
TETTERS. V. HERPES.			
TINEĀ, <i>A Scald Head</i>	I	VIII	140
TOOTH-ACH. V. ODONTALGIA.			
TUMŌRES, <i>Tumours</i>	IV	VI	
TUSSIS EXANTHEMATICA. <i>A Cough attendant on an eruption.</i>			
THIRST, Excessive. V. POLYDIPSIA.			
TRICHOMA, <i>An Entanglement of the Hair; from Θρίξ, Τρίχος, and Κομν, the Hair</i>	III	III	83
TYMPANITES, <i>Tympany, Τυμπανον, a Drum</i>	III	II	66
..... INTESTINALIS, <i>A lodgment of wind in the Intestines.</i>			
..... ABDOMINALIS, <i>Wind in the Abdomen.</i>			
TYPHUS, Τυφος, Stupor. V. FEBRIS CONTINUA.			
..... PETECHIALIS, <i>Typhus with Petechiæ.</i>			
..... MITIOR, <i>The milder Typhus, or Slow Fever.</i>			
..... GRAVIOR, <i>The Oppressive, or Putrid Fever.</i>			
..... ICTERODES, <i>The Yellow Fever; from Ικτερός, Felle effusus.</i>			

V.	Cl.	Or.	Gen.
VARIÖLA, <i>The Small Pox</i>	I	III	24
. DISCRETA, <i>The Distinct.</i>			
. CONFLUENS, <i>Confluent.</i>			
VARICELLA, <i>The Chicken Pox</i>	I	III	25
VARIX, <i>The Tumour of a Vein</i>	IV	VI	125
VERRŪCA, <i>A Wart</i>	IV	VI	127
W.			
WHITE SWELLING. <i>V. ARTHRO-</i> PUOSIS.			

PART II.



A


COMPENDIUM

OF

THERAPEUTICS,

WITH

FORMULÆ.



CONTENTS.



EMETICA	I.
CATHARTICA	II.
DIAPHORETICA	III.
DIURETICA	IV.
EPISPASTICA	V.
EXPECTORANTIA	VI.
ERRHINA	VII.
SIALAGOGA	VIII.
EMMENAGOGA	IX.
ANTHELMINTICA	X.
LITHONTHRIPTICA	XI.
ANTACIDA	XII.
ATTENUANTIA	XIII.
ANTISEPTICA	XIV.
ASTRINGENTIA	XV.
CORROSIVA	XVI.
DEMULCENTIA	XVII.
STIMULANTIA	XVIII.
ANTISPASMODICA	XIX.

MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORDERS.

I. *Irritantia.*

Antimon. tartarisatum.	. gr.	1.—gr.	6.
Zincum vitriolatum	. . gr.	10.—scr.	2.
Hydrargyrus vitriolatus	gr.	4.—gr.	12.
Ipecacuanha	gr.	8.—scr.	1.
Asarum, rad.	scr.	1.—dr.	1.
Scilla exsiccata	gr.	4.—gr.	6.

II. *Calefacientia.*

Sinapi	dr.	1.—dr.	4.
Raphanus rusticanus . .	scr.	1.—dr.	$\frac{1}{2}$.
Chamæmelum	scr.	1.—dr.	1.

III. *Narcotica.*

Nicotiana	dr.	$\frac{1}{2}$.—un.	4.
Digitalis	gr.	2.—gr.	5.

CLASS II.

CATHARTICA.

ORDERS.

I. *Stimulantia.*

Jalapium	gr. 10.—scr. $1\frac{1}{2}$.
Senna	scr. 1.—dr. 2.
Aloë socotorina	gr. 10.—scr. $1\frac{1}{2}$.
Colocynthis	gr. 4.—gr. 12.
Calomelas	gr. 4.—gr. 12.
Scammonium	gr. 5.—gr. 15.
Gambogia	gr. 4.—gr. 15.
Elaterium	gr. 1.—gr. 5.

II. *Calefacientia.*

Guaiacum gummi-resina	gr. 10.—dr. 1.
-----------------------	----------------

III. *Refrigerantia.*

Natron vitriolatum	dr. 4.—un. $1\frac{1}{2}$.
Kali vitriolatum	dr. 4.—un. 1.
Flores sulphuris	scr. 1.—dr. 1.
Cassia fistularis	un. $\frac{1}{2}$.—un. $1\frac{1}{2}$.

IV. *Astringentia.*

Rhabarbarum	gr. 15.—dr. 1.
-------------	-----------	----------------

V. *Emollientia.*

Oleum ricini	dr. 4.—un. 2.
Manna	dr. 4.—un. 2.

ORDERS.

VI. *Narcotica.*

Nicotiana	dr. $\frac{1}{2}$.—un. 4. aq.
Hyoscyamus	gr. 1.—gr. 3.
Digitalis	gr. 2.—gr. 5.

CLASS III.

DIAPHORETICA.

I. *Calefacientia.*

Serpentaria	gr. 10.—scr. 2.
Conrayerva	gr. 10.—scr. 2.
G. Guaiacum	gr. 10.—scr. 2.
Arnica, flos	dr. 1.
Liq. volat. Cornu Cervi	gt. 20.—gt. 60.
Oleum essen. lavendulæ	gt. 4.—gt. 10.

II. *Stimulantia.*

Antimonium tartarisatum	gr. $\frac{1}{2}$. o. b.
Vinum Antimonii gt. 5.—gt. 60.
Calomelas gr. 1.

III. *Antispasmodica.*

Opium	gr. $\frac{1}{2}$.—gr. 1.
Moschus	gr. 10.—scr. $1\frac{1}{2}$.
Camphora	gr. 4.—scr. 1.
Ipecacuanha	gr. 1.

ORDERS.

IV. *Diluentia.*Aqua *ad libitum.*Serum lactis *ad libitum.*

CLASS IV.

DIURETICA.

I. *Stimulantia.*Colchicum rad. gr. $\frac{1}{2}$.—gr. 2.Daucus Sylvestris . . . un. $\frac{1}{2}$. *ad lb.* $\frac{1}{2}$.Genista cac. un. $\frac{1}{2}$. *ad lb.* $\frac{1}{2}$.

Juniper. cac. manip . . 1. d. coch. 2.

Taraxaci suc. un. 1.—un. 3.

Terebinthina scr. 1.—dr. 1.

Scilla gr. 2.—gr. 6.

Cantharides gr. $\frac{1}{2}$.

Apium.

II. *Refrigerantia.*Acetum un. $\frac{1}{2}$.—un. 1.

Acetosa un. 4.—un. 6.

Petroselinum dr. $\frac{1}{2}$.

Kali præparatum . . . gr. 12.—scr. 1.

Kali acetatum . . . gr. 20.—gr. 30.

Nitrum gr. 10.—gr. 25.

Berberis

III. *Diluentia.*Serum lactis *ad libitum.*

CLASS V.

EPISPASTICA.

ORDERS.

I. *Rubefacientia.*

Sinapi.

Raphanus rusticus.

Cortex radicis mezerei.

II. *Vesicantia.*

Cantharides.

CLASS VI.

EXPECTORANTIA.

I. *Stimulantia.*Allium *dr.* 1.—*dr.* 2.Ammoniacum *gr.* 15.—*dr.* $\frac{1}{2}$.Enula *scr.* 1.—*dr.* 1.Hyssopus *manip.* 1.—*vel.* 2.Marrubium *manip.* $\frac{1}{2}$.Scilla *gr.* 3.—*gr.* 6.Antimonium *scr.* 1.—*scr.* 2.

Vesicatoria.

Nicotianæ fumus.

ORDERS.

II. *Emollientia.*

Glycyrrhiza	dr. 2.—un. 1.
Spermaceti	dr. $\frac{1}{2}$.—dr. 1.
Tussilago	<i>ad libitum.</i>
Vapores	<i>ad libitum.</i>

CLASS VII.

ERRHINA.

Stimulantia.

Beta, rad. suc.		
Betonica, fol.	gr. 3.—gr. 5.
Euphorbium	gr. $\frac{1}{4}$.
Asaru	gr. 3.—gr. 4.
Helleborus	gr. 5.—gr. 10.
Nicotiana	<i>ad libitum.</i>

CLASS VIII.

SIALAGOGA.

I. *Topica.*

Angelica		
Nicotiana	<i>ad libitum.</i>
Piper	gr. 10.—scr. 1.

ORDERS.

Scillæ	gr. 3.—gr. 6.
Sal Prunellæ	gr. 3.—scr. 1.

II. *Interna.*

Ung. hydr. mitius . . .	dr. 1.
Ung. hydr. fortius . . .	dr. $\frac{1}{2}$.
Pilulæ ex hydr.	gr. 12.—gr. 20.

CLASS IX.

EMMENAGOGA.

I. *Stimulantia.*

Borax	gr. 10.—scr. 1.
Aloë soc.	gr. 10.—scr. 1.
Sabina	gr. 5.—scr. 1.
Rubia	gr. 15.
Cantharides	gr. $\frac{1}{4}$.
Electricitas.	
Hydrargyrus.	

II. *Tonica.*

Ferri rubigo	gr. 5.—scr. 1.
— limatura	gr. 5.—scr. 1.
Lavatio frigida.	
Corporis exercitio.	
Diæta lauta.	

ORDERS.

III. *Antispasmodica.*

Asafœtida	scr. 1.—scr. 2.
Myrrha	gr. 10.—gr. 30.
Castoreum	gr. 10.—gr. 30.
Pediluvium.	

CLASS X.

ANTHELMINTICA.

I. *Venenosa.*

Stannum	gr. 15.—gr. 60.
Hydrar. cum Sulphure .	scr. 1.—dr. 1.
Spigelia	dr. 4.
Felix	dr. 2.—dr. 4.
Helleborus fœtidus . .	gr. 1.—gr. 8.
Hydrargyrus.	

II. *Irritantia.*

Stizolobium (<i>dolichos pruriens</i> , L. S. P.)	
Corallina	scr. 1.—scr. 3.

III. *Lubricantia.*

Oleum olivarum	dr. 4.—un. 1.
Oleum ricini	dr. 4.—un. 1.

IV. *Tonica.*

Sabina	gr. 5.—scr. 1.
Santonium	dr. 1.

ORDERS.

Tanacetum.

Ferrum vitriolatum . . gr. 2.—gr. 8.

Limatura Ferri . . . gr. 5.—scr. 1.

Aqua calcis.

V. *Cathartica.*

Sapo un. 1.

Jalappa scr. 1.—scr. 2.

Rheum gr. 10.—gr. 30.

Aloë soc. gr. 10.—gr. 20.

Scammonium gr. 4.—gr. 16.

Gambogia gr. 2.—gr. 6.

CLASS XI.

LITHONTHRIPTICA.

I. *Antacida.*Sapo dr. $\frac{1}{2}$.—dr. 2.

Aqua calcis un. 4.—un. 8.

Aqua kali puri gt. 10.—gt. 60.

Aqua mephitica alkalina.

II. *Adstringentia.*

Uva ursi scr. 2.

CLASS XII.

ANTACIDA.

ORDERS.

I. *Eccoprotica.*

Sapo gr. 5.—gr. 30.
 Magnesia gr. 5.—gr. 40.
 Alkalina.

II. *Restringentia.*

Creta. ppt. scr. 1.—scr. 2.
 Testæ ostreorum, ppt. . scr. 1.—scr. 3.
 Aqua calcis un. 4.—un. 8.

CLASS XIII.

ATTENUANTIA.

I. *Diluentia.*

Serum lactis.

II. *Deobstruentia.*

Sapo.

Sales Neutri.

Hydrargyrus.

Alkalina.

Spongia usta scr. 1.—scr. 2.

CLASS XIV.

ANTISEPTICA.

ORDERS.

I. *Tonica.*

Cortex peruvianus	. . .	gr. 10.—dr. 2.
Absinthium	. . .	scr. 1.—dr. $\frac{1}{2}$.
Chamæmælum	. . .	scr. 1.—dr. $\frac{1}{2}$.

II. *Refrigerantia.*

Sales acidi.

Sales neutri.

Fructus and vegetabilia.

III. *Stimulantia.*

Camphora	gr. 3.—gr. 24.
Asafœtida	gr. 15.—dr. $\frac{1}{2}$.
Vinum.		
Alkohol	dr. $\frac{1}{2}$.—dr. 1.
Oleum terebinthinæ	. . .	gt. 10.—gt. 30.

CLASS XV.

ASTRINGENTIA.

I. *Styptica.*

Alumen	gr. 1.—gr. 24.
Ferrum vitriolat.	gr. 1.—gr. 6.
Ferrum ammoniacale	gr. 3.—gr. 12.
Ferri rubigo	gr. 5.—gr. 24.
Ferri limatura	gr. 5.—scr. 1.
Zincum calcinatum	gr. 2.—gr. 10.
Zinc. vitriolatum	gr. 1.—gr. 5.
Arsenicum	gr. $\frac{1}{16}$
Caprum.	

II. *Corrugantia.*

Rosa.	
Tormentil	scr. 2.—dr. 1.
Cortex peruvianus	gr. 10.—dr. 2.
Simarouba	gr. 10.—gr. 24.
Sanguis draconis	gr. 5.—scr. 1.
Quercus.	
Gallæ.	

III. *Indurantia.*

Alkohol.	
Acidum vitrioli. dilutum	gt. 10.—gt. 20.

IV. *Tonica.*

Exercitium.	
Frictio.	

CLASS XVI.

CORROSIVA.

ORDERS.

I. *Erodentia.*

Cuprum vitriolatum.

Allumen ustum.

II. *Caustica.*

Argentum nitratum.

Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi arabicum . . un. 1.—un. 3.

Oleum amygdalarum . dr. 2.—un. $\frac{1}{2}$.

Spermaceti . . . gr. 15.—gr. 60.

Althæa . . . manip. 1.—2.

Caricæ . . . dr. 4.—un. 1.

Malva . . . manip. 1.—2.

Lini semen . . . dr. 4.—un. 1.

CLASS XVIII.

STIMULANTIA.

ORDERS.

I. *Topica.*

Sinapi	<i>dr.</i>	1.— <i>dr.</i>	2.
Raphanus rusticus . . .	<i>dr.</i>	$\frac{1}{2}$.— <i>scr.</i>	1.
Cantharides	<i>gr.</i>	$\frac{1}{2}$.— <i>gr.</i>	2.
Mercurii præparationes.			

II. *Diffusibilia.*

Alkali volatile.

Calor.

Cinnamomum.

Nux moschata.

Vinum.

Electricitas.

Tinct. Opii *gt.* 3.—*gt.* 5.

CLASS XIX.

ANTISPASMODICA.

ORDERS.

I. *Stimulantia.*

Alkali volatile.

Olea essentialia.

Spiritus vini.

Æther vitriolicus . . . *gt.* 30.—*gt.* 100.Valeriana *gr.* 10.—*dr.* 2.Asafœtida *gr.* 20.—*gr.* 40.Camphora *gr.* 3.—*gr.* 24.Moschus *gr.* 8.—*gr.* 24.Opium *gr.* 1.—*gr.* 3.

Electricitas.

II. *Tonica.*Cortex peruvianus . . . *gr.* 10.—*dr.* 2.Ferrum *gr.* 10.—*gr.* 20.Zincum. calcin. *gr.* 4.—*gr.* 10.

Cuprum.

Exercitium.

V. *Astringentia.*

CLASS I.

EMETICA.

FORMULÆ.

- | | | | |
|-------|---|---|---------|
| 1. ℞. | { | Antim. tart. | gr. 5. |
| | | Syr. papav. errat. . . . | dr. 1. |
| | | Aq. font. | un. 6. |
| | | <i>d. un. 1. 0. $\frac{1}{4}$. h. usque ad vomitionem.</i> | |
| 2. ℞. | { | Antim. tart. | gr. 2. |
| | | Ipecac. | gr. 10. |
| | | <i>p. r. n. s.</i> | |
| 3. ℞. | { | Vin. antimon. | dr. 4. |
| | | Oxymel Scillæ | dr. 6. |
| | | <i>p. r. n. s.</i> | |
| 4. ℞. | { | Oxymel Scillæ | un. 2. |
| | | <i>p. r. n. s.</i> | |
| 5. ℞. | { | Oxymel Scillæ | un. 2. |
| | | Suc. raph. rust. . . . | un. 1. |
| | | <i>p. r. n. s.</i> | |
| 6. ℞. | { | Vin. ipec. | un. 1. |
| | | Syr. violar. | dr. 2. |
| | | <i>v. s.</i> | |
| 7. ℞. | { | Vin. ipec. | un. 1. |
| | | Vin. antim. | dr. 1. |
| | | Syr. viol. | dr. 2. |
| | | <i>v. s.</i> | |
| 8. ℞. | { | Antim. tart. | gr. 1. |
| | | Ipecac. | gr. 6. |
| | | Calomel | gr. 3. |
| | | <i>v. s.</i> | |

CLASS II.

CATHARTICA.

FORMULÆ.

9. \mathcal{R}_{\circ} . { Jalap gr. 25.
Zinzib. scr. 1.
c. m.
10. \mathcal{R}_{\circ} . { Aloë soc. dr. 12.
Myrrh un. 2.
Crocī un. 1.
Alkohol lb. 2.
Digere. Cola. d. dr. 4.—un. 1. Sign.
Elixir Proprietatis.
11. \mathcal{R}_{\circ} . { Aloë soc. dr. 12.
G. guaiac. un. 1.
Pulv. arom.
Bals. peru▼. āā dr. 4.
Syr. cort. aur.
f. Pill. d. scr. 1.
12. \mathcal{R}_{\circ} . { Aloë soc.
Extr. gentian. āā dr. 1.
Calomel gr. 24.
Mucil. gum. arab. q. s.
f. Pill. 11° 50 d. Pill. 2. h. s.
13. \mathcal{R}_{\circ} . { Aloë soc.
Extr. gentian. āā dr. 1.
Ferri vitriolat. gr. 15.
Syr. rosæ q. s.
f. Pill. d. gr. 10. h. s. s.

FORMULÆ.

14. ℞. { Aloë soc.
Sapon. alb.
Pil. Gummi āā un. 1.
d. scr. 1. h. s. s.

15. ℞. { Aloë soc.
Colocynth.
Scammon. . . . āā dr. 1.
Extr. Jalap dr. 3.
Syr. simp. . . . q. s.
f. Pill. d. gr. 12. h. s. s.

16. ℞. { Scammon.
G. guaiac. . . . āā scr. 1.
Aq. cinnam.
Syr. rosæ āā dr. 2.
f. haust. hydrag. m. s.

17. ℞. { Elaterii gr. $\frac{1}{4}$.
Extr. gentian. . . . gr. 4.
o. b. h. s.

18. ℞. { Flor. Sulph.
Cremor tart. . . . āā un. 1.
Mel. . . . q. s.
f. Elect. d. dr. 1. p. r. n.

19. ℞. { Kali vitriolat.
Jalap.
Valer. sylv. . . . āā dr. 1.
Oxymel Scillæ un. 4.
d. dr. 4. ter in die.

FORMULÆ.

20. ℞. { Rhei scr. 1.
 Jalap gr. 5.
 Aq. cinnam. un. 1.
 Syr. e Cort. Aur. . . dr. 1.
 m. s.

21. ℞. { Rhei un. 1.
 Sennæ un. 2.
 Sem. fænic.
 Bac. junip.
 Scobis guaiac. . . . āā dr. 4.
 Sacch. alb. un. 4.
 Sp. vin. gal. lb. 3.
 Digere. Cola. d. un. 1. Elixir
 Salutis, vulgo Daffy's Elixir.

22. ℞. { Rhei un. 1.
 Sennæ dr. 2.
 Cardam.
 Coriand. āā dr. 1.
 Croci.
 Coccinel. āā scr. 2.
 Uvæ pass. un. 3.
 Sp. vin. gal. lb. 1.
 Digere. Cola. d. un. 2. p. r. n.
 Boerhaave's Gout Cordial.

CLASS III.

DIAPHORETICA.

FORMULÆ.

23. \mathcal{R}_{\circ} . { Contrayerv. *scr.* 1.
Syr. Croci. *q. s.*
f. Pil. b. s. s.
24. \mathcal{R}_{\circ} . { G. Guaiac. *scr.* 1.
Sal C. C. *gr.* 5.
Cons. rosar. *scr.* 2.
b. s. s.
25. \mathcal{R}_{\circ} . { G. Guaiac.
Sach. alb. *āā dr.* 2.
Extr. Gent. *dr.* 1.
Mucil. G. arab. *q. s.*
f. Pil. d. gr. 15.
26. \mathcal{R}_{\circ} . { Cort. rad. Mezerii recent. *un.* 1.
Aq. font. *cong.* 1 $\frac{1}{2}$.
Coque ad Cong. 1. & *adde*
Glycyrr. *un.* 1.
d. un. 6. ter in die.
27. \mathcal{R}_{\circ} . { Sulph. antim. præcip. *gr.* 10.
Hydrargyr. ē sulph. *dr.* 2.
Guaiac. *scr.* 2.
f. pulv. No. 10. c. 1. p. m. & v.
28. \mathcal{R}_{\circ} . { Sulph. antim. præcip. *dr.* 2.
Calomel *scr.* 2.
Ol. Sassafras *gt.* 40.
Extr. lig. guaiac. *dr.* 7.
Syr. papav. alb. *q. s.*
f. Pill. 80. d. No. 3. o. n.

FORMULÆ.

29. ℞. { Mist. Camph. un. 1.
 { Vin. Antimon. gt. 40.
 { h. s. s.

30. ℞. { Camph. gr. 5.
 { Tart. emet. gr. 1.
 { Elect. è Scordio . . . scr. 1.
 { h. s. s.

31. ℞. { Mosch. gr. 10.
 { Cons. ros. scr. 1.
 { h. s. s.

32. ℞. { Mosch. (sach. alb. trit.) gr. 30.
 { Aq. cinnam. un. 6.
 { d. un. 1.

33. ℞. { Tinct. Opïi. dr. 1.
 { Vin. antimon. dr. 3.
 { d. gt. 30. ad 120. h. s.

34. ℞. { Tinct. Opïi. gt. 40.
 { Vin. ipec. dr. 3.
 { Aq. Ammon. Acetat. dr. 4.
 { Aq. rosar. un. 1.
 { Sacch. alb. dr. 2.
 { h. s. s.

35. ℞. { Kali præpar. scr. 1.
 { Suc. limon. dr. 4.
 { Aq. cinnam. un. 1.
 { Syrup. papav. errat. dr. 1.
 { p. r. n. s.

CLASS IV.

DIURETICA.

FORMULÆ.

36. \mathcal{R}_{\circ} . { Sem. dauc. sylv.
Bac. junip. $\bar{a}\bar{a}$ dr. 2.
Aq. font. lb. 1.
Digere. Cola. d. un. 2. o. n.
37. \mathcal{R}_{\circ} . { Sem. dauc. sylv.
Sapon. alb. $\bar{a}\bar{a}$ dr. 1.
Millep. ppt. dr. 1.
Muc. gum. arab. q. s.
f. Pill. d. scr. 1. o. n.
38. \mathcal{R}_{\circ} . { Juniper bac. un. 4.
Vin. alb. lb. 2.
Digere. d. un. 2. ter in die.
39. \mathcal{R}_{\circ} . { Tereb. venet. dr. 1.
Mucil. g. arab. dr. 4
Aq. puleg. un. 6.
Syr. e cort. aur. dr. 4.
b. s. s.
40. \mathcal{R}_{\circ} . { Tinct. cantharid. gt. 30.
Infus. cort. per. un. 1.
Aq. N. M.
Syr. cort. aurant. $\bar{a}\bar{a}$ dr. 1.
bis in die.
41. \mathcal{R}_{\circ} . { Kali gr. 10.
Rhei scr. 1.
Ol. juniper gt. 4.
b. s. s.

FORMULÆ.

42. ℞. { Kali.
Jalap.
Raphan. rust. . . . āā un. 1.
Ciner. genist.
Millep. . . . āā un. 2.
Vin. rhen. . . . lb. 4.
Digere. Cola. d. un. 2.
43. ℞. { Oxymel scillæ . . . dr. 3.
Conf. arom. . . . scr. 1.
Aq. fæniculi . . . un. 1.
Aq. cinnam. . . . dr. 1.
c. m.
44. ℞. { Scillæ exsic. . . . gr. 4.
Sapon. alb. . . . scr. 1.
c. m. & v. .
45. ℞. { Scill. recent. . . . gr. 10.
Ammon. pulv. . . . gr. 15.
Pulv. tragac. c. . . . gr. 5.
f. Bolus. 6. ter in die s.
46. ℞. { Tinct. scill. . . . gt. 30.
Aq. cinnam. . . . un. 1½.
Syr. caryoph. rubr. . . dr. 1.
f. Haustus. ter in die s.

CLASS V.

EPISPASTICA.

FORMULÆ.

47. R₃. { Lin. Sapon. comp. . . . un. $1\frac{1}{2}$.
 Tinct. Canth. . . . un. $\frac{1}{2}$.
f. Lin. quod. part. affect. infricetur.

CLASS VI.

EXPECTORANTIA.

48. R₃. { Oxymel scillæ. . . . dr. 2.
 Aq. cinnamom. . . . un. 1.
c. m.
49. R₃. { Scillæ recentis.
 Gum. ammon. . . . āā un. 1.
 Glycyrr. . . . q. s.
f. Pill. d. scr. 1. m. s.
50. R₃. { Enulæ.
 Glycyrr.
 Flor. sulph. . . . āā un. 1.
 Mel. . . . un. 4.
c. M. N. M. ter in die.
51. R₃. { Sperm. ceti. (v. o. s.) . . . dr. 2.
 Lac. ammon. . . . dr. 8.
 Syr. croci. . . . dr. 6.
d. un. 1. ter in die.

CLASS IX.

EMMENAGOGA.

FORMULÆ.

52. \mathcal{R}_{c} . { Tinct. cantharid. *gt.* 20.
 Aq. pulegii. *dr.* 12.
 Syr. croci. *dr.* 1.
h. s. s.
53. \mathcal{R}_{c} . { Pil. ex aloë cum myrrha *scr.* 2.
 Pil. gummi.
 Asafœtid. *āā dr.* 1.
 Calomel. *scr.* 1.
f. Pil. 40. c. Pill. 1. h. s.
54. \mathcal{R}_{c} . { Pil. ex. aloë cum myrrha *un.* 1.
 Ferri vitriolat. *dr.* 1.
f. Pill. d. scr. 1. h. s.
55. \mathcal{R}_{c} . { Tinct. aloë comp.
 Tinct. ferri muriati . . . *āā dr.* 2.
 Tinct. hellebori nigri . . . *dr.* 4.
d. dr. 1. m. ℥ v.
56. \mathcal{R}_{c} . { Fer. ammoniac.
 Pulv. aromat. *āā gr.* 10.
h. s. s.
57. \mathcal{R}_{c} . { Fer. vitriolat. *dr.* 1.
 Sach. alb. *un.* 2.
d. dr. 1. ter in die.
58. \mathcal{R}_{c} . { Fer. vitriolat. *gr.* 15.
 Aloë soc.
 Asafœtid.
 Extr. gent. *āā dr.* 2.
 Syr. cort. aurant. *q. s.*
f. Pill. d. gr. 10. h. s.

CLASS X.

ANTHELMINTICA.

FORMULÆ.

59. ℞. { Calomel gr. 10.
 { Rhei gr. 16.
 { *m. s.*
60. ℞. { Hydrarg. c. sulphure.
 { Santonici āā dr. 2.
 { Sabinæ scr. 1.
 { Corallinæ dr. 1.
 { Syr. cort. aur. q. s.
 { *f. Pill. d. scr. 1. m. ℥ v.*
61. ℞. { Stanni un. 1.
 { Theriac. un. 4.
 { *d. un. 1. o. m.*
62. ℞. { Spigelizæ dr. 12.
 { Aq. font. lb. 3.
 { *f. Infusio. d. un. 6. m. ℥ v.*
63. ℞. { Santonici.
 { Rhei.
 { Corallinæ.
 { Cor. cervi ust. āā dr. 1.
 { *d. gr. 24. o. m.*
64. ℞. { Sapo. alb. un. 1.
 { *o. m. ad 10^m vicem.*
65. ℞. { Rhei gr. 5.
 { Flor. chamæmel. scr. 1.
 { *o. m. s.*

FORMULÆ.

66. R ₃ .	{	Gambog.	gr. 2.
		Calomel	gr. 5.
		Jalap	gr. 10.
		<i>m. s.</i>	

CLASS XI.

LITHONTHRIPTICA.

67. R ₃ .	{	Uvæ Ursi.	un. 1.
		Cons. ros. rub.	un. 2.
		Syr. ros.	q. s.
		<i>f. Elect. d. dr. 2. ter in die.</i>	

CLASS XIII.

ATTENUANTIA.

68. R ₃ .	{	Spongiæ ust.	un. 3.
		Syr. althææ	q. s.
		<i>f. Trochisci 60.</i>	
		Horum unus h. s. linguâ suppositus, ibi per noctem lente deliquescat.	

Troches for the *Bronchocele*.

CLASS XIV.

ANTISEPTICA.

FORMULÆ.

- | | | | |
|--------|---|--|-------------------|
| 69. ℞. | { | Decoct. cort. Per. . . | dr. 12. |
| | | Tinct. cort. Per. comp. | dr. 2. |
| | | Pulv. cort. Per. . . | scr. 1. |
| | | Syr. cort. aur. . . | dr. 1. |
| | | <i>q. b. s.</i> | |
| 70. ℞. | { | Decoct. cort. Per. . . | un. 8. |
| | | Conf. aromat. . . | dr. 2. |
| | | Tinct. serpent. . . | dr. 4. |
| | | Aq. cinnam. . . | dr. 12. |
| | | Syr. croci. . . | dr. 4. |
| | | <i>d. un. 2. 4. q. b.</i> | |
| 71. ℞. | { | Cort. Per. . . | un. 5. |
| | | Myrrh . . . | un. 1. |
| | | Sp. vin. tenui. . . | lb. 2. |
| | | <i>Digere. cola. d. dr. 4. ter in die.</i> | |
| | | <i>Addendo superioribus.</i> | |
| | | Acid vitriol. dilut. <i>gt. 10. ad gt. 20.</i> | |
| | | <i>p. r. n.</i> | |
| 72. ℞. | { | Suc. limon. . . | dr. 4. |
| | | Kali. | |
| | | Confect. arom. . . | <i>āā</i> scr. 1. |
| | | Syr. tolut. . . | dr. 1. |
| | | Aq. cinnamom. . . | un. 1. |
| | | <i>q. b. s.</i> | |
| 73. ℞. | { | Mist. camph. . . | un. 1. |
| | | Tinct. asafoetid. . . | dr. 2. |
| | | Aq. ammoniæ acetat. | dr. 3. |
| | | Syr. croci. . . | dr. 1. |
| | | <i>q. b. s.</i> | |

CLASS XV.

ASTRINGENTIA.

FORMULÆ.

74. \mathcal{R}_o . { Alum gr. 30.
 Sang. dracon. dr. 1.
 Syr. ros. q. s.
f. Pill. n° 28. c. Pill. 3. ter in die.
75. \mathcal{R}_o . { Alum dr. 2.
 Cort. Per. un. 1.
 Conserv. ros. dr. 12.
 Syr. ros. q. s.
f. Elect. c. M. N. M. ter in die.
76. \mathcal{R}_o . { Limat. ferri.
 Ter. japon. āā dr. 3.
 Cort. Per. un. 2.
 Syr. zinzib. q. s.
f. Elect. c. M. N. M. ter in die.
77. \mathcal{R}_o . { Ferri rubig.
 Cort. Peruv. āā un. 1.
 Spec. arom. dr. 4.
 Cons. cort. aur. un. 2.
 Syr. cort. aur. q. s.
f. Elect. c. M. N. M. ter in die.
78. \mathcal{R}_o . { Ferri vitriolat.
 Myrrh.
 Flor. chamæmel . . . āā gr. 10.
bis die s.

FORMULÆ.

79. ℞. { Zinc. vitriolati. . . . gr. 25.
 Rhei gr. 5.
 Thereb. venet. . . . q. s.
bis d. s.

80. ℞. { Cort. Peruv.
 Confect. aromat. . . . āā scr. 1.
 Aq. cinnam. . . . dr. 12.
 Spirit. cinnam.
 Syr. cort. aur. . . . dr. 1.
m. s.

81. ℞. { Tinct. cort. Per. comp. dr. 1.—dr. 3.
bis in die.

82. ℞. { Tinct. cort. Per. comp. un. 1.
 Vin. ferri. . . . dr. 4.
c. dr. 4. ter in die.

83. ℞. { Tormentil.
 Cort. Peruv.
 Glycyrrh. . . . āā un. 1.
 Syr. cort. aur. . . . q. s.
f. Elect. d. M. N. M. ter in die.

V. ANTISEPTICA tonica.

CLASS XVII.

DEMULCENTIA.

FORMULÆ.

84. R ₃ .	{	G. arab.	un. 1.
		Aq. font.	un. 3.
		Cola. adde.	
		Sach. alb.	dr. 4.
		<i>c. dr. 1. urgente Tussi.</i>	
85. R ₃ .	{	Amygd. dulc.	n.o 15.
		Ol. amygd.	un. 1.
		Gum. arab.	
		Sach. alb.	<i>āā</i> dr. 2.
		Aq. cinnam.	un. 8.
		<i>d. un. 1. p. r. n.</i>	
86. R ₃ .	{	Ol. amygd.	un. 2.
		Syr. viol.	
		Syr. tolut.	<i>āā</i> un. 1.
		Sach. alb.	dr. 2.
		<i>f. Troch. p. r. n. s.</i>	
87. R ₃ .	{	Ol. amygd.	
		Syr. viol.	<i>āā</i> un. 1.
		Sperm. ceti.	dr. 2.
		Cons. ros.	dr. 4.
<i>p. r. n. s.</i>			
88. R ₃ .	{	Ol. amygd.	dr. 3.
		Liq. vol. C. C.	gt. 30.
		Syr. tolut.	dr. 1.
		Aq. distil.	dr. 12.
		<i>6. q. h. s.</i>	

FORMULÆ.

89. R̃.	{	Sperm. ceti. (v. o. s.)	gr. 30.
		Suc. limon.	dr. 3.
		Sal C. C.	gr. 8.
		Sp. N. M.	dr. 3.
		Syr. tolut.	dr. 1.
		Aq. distil.	dr. 12.
		6. q. h. s.	

90. R̃.	{	Caric.	
		Uvar. pass.	
		Althææ.	āā un. 1.
		Glycyrr.	dr. 2.
		Aq. bul.	lb. ij.
		f. Infusio. d. un. 2. p. r. n.	

CLASS XVIII.

STIMULANTIA.

91. R̃.	{	Sinapi.	
		Cons. ros.	āā un. 1.
		Syr. zinzib.	q. s.
		f. Elect. p. r. n. s.	

92. R̃.	{	Raph. rust.	
		Sinapi.	āā un. 4.
		Aq. bul.	lb. 4.
		f. Infus. d. un. 4. ter in die.	

CLASS XIX.

ANTISPASMODICA.

FORMULÆ.

- | | | | |
|----------------------|---|--|-------------------|
| 93. R _o . | { | Asafœtid. | <i>dr.</i> 2. |
| | | Ol. anisi. | <i>gt.</i> 30. |
| | | <i>d. gr. 24. p. r. n. s.</i> | |
| 94. R _o . | { | Camphor. | <i>gr.</i> 10. |
| | | Gum. arab. | <i>scr.</i> 1. |
| | | Syr. papav. alb. . . . | <i>q. s.</i> |
| | | <i>f. bol. p. r. n. s.</i> | |
| 95. R _o . | { | Mosch. | <i>scr.</i> 2. |
| | | Gum. arab. | <i>dr.</i> 1. |
| | | Aq. ros. | <i>un.</i> 6. |
| | | Syr. papav. alb. . . . | <i>dr.</i> 4. |
| | | <i>d. un. 1. p. r. n. s.</i> | |
| 96. R _o . | { | Mist. moschat. | <i>dr.</i> 4. |
| | | Æther. vitr. | <i>gt.</i> 30. |
| | | <i>p. r. n. s.</i> | |
| 97. R _o . | { | Mosch. | <i>gr.</i> 20. |
| | | Asafœtid. | |
| | | Camph. | <i>āā scr.</i> 2. |
| | | Tinct. opii. | <i>gt.</i> 30. |
| | | Syr. papav. alb. . . . | <i>q. s.</i> |
| | | <i>f. Pill. N^o 20. d. Pill. 5. m. ℥ v. s.</i> | |
| 98. R _o . | { | Valerian. | <i>dr.</i> 2. |
| | | Aq. cinnam. | <i>un.</i> 2. |
| | | Aq. N. M. | |
| | | Syr. croci. | <i>āā dr.</i> 1. |
| | | <i>m. ℥ v. s.</i> | |

FORMULÆ.

99. R.	{	Valerian.	
		Cort. Peruv.	. . . āā dr. 6.
		Rhei	
		Pulv. arom.	. . . āā scr. 2.
		Syr. cort. aur.	. . . q. s.
		f. <i>Elect. de M. N. M. ter in die.</i>	

-
1. *Gas oxygenium.*
 2. *Gas azoticum.*
 3. *Gas hydrogenium.*
 4. *Gas acidum Carbonicum.*

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and Dr. THORNTON in London, to be a remedy well worthy the attention of the medical practitioner.

The *oxygen* air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The *azotic* air abates inflammation, and with the *hydrogene* air seems to be capable of arresting the progress of consumption. The *carbonic acid* air is a most powerful antiseptic.

A GENERAL INDEX;

WITH

AN EXPLANATION OF THE TERMS.

THE ABBREVIATIONS.

- ā ā* Uniuscujusque *Equal quantities.*
c. capiat. *Let him take.*
C. C. Cornu Cervi *Hartsborn.*
F. Formula *The Prescription.*
d. Dosis *The Dose.*
dr. Drachma *A Drachm.*
gr. Granum *A Grain.*
gt. Gutta *A Drop.*
b. s. Horâ somni *Bed-time.*
m. Mane *The Morning.*
M. N. M. Magnitudinem Nucis Moschatae.....*The size of a*
Nutmeg.
o. b. Omni hora *Each Hour.*
o. 2. b. Omnibi hora *Every two Hours.*
6. q. b. Sextâ quâque horâ *Every six Hours.*
p. r. n. Pro re natâ *As occasion may require.*
q. s. Quantum sufficit *As much as is sufficient.*
℞. Recipe *Take of.*
s. Sumendus *To be taken.*
scr. Scrupulus *A Scruple.*
un. Uncia *An Ounce.*
v. Vespere *The Evening.*
v. o. s. In ovi vitello solutus *Dissolved in the White*
of an Egg.

THE CLASSES.

	CLASS.
Anthelmintica .. from <i>αντι</i> , <i>against</i> ; and <i>ελμινς</i> , <i>a worm</i>	X
Antiseptica — <i>αντι</i> , <i>against</i> ; and <i>σηπω</i> , <i>to corrupt</i>	XIV
Antacida — <i>ante</i> , <i>against</i> ; and <i>acidus</i> , <i>sour</i>	XII
Antispasmodica — <i>αντι</i> , <i>against</i> ; and <i>σπασω</i> , <i>to contract</i>	XIX
Astringentia . . . — <i>astringo</i> , <i>to bind</i>	XV
Attenuantia . . . — <i>attenuo</i> , <i>to make thin</i>	XIII
Cathartica — <i>καθαιρω</i> , <i>to purge</i>	II
Corrosiva — <i>corrodo</i> , <i>to corrode</i>	XVI
Demulcentia . . . — <i>demulceo</i> , <i>to assuage</i>	XVII
Diaphoretica . . . — <i>διαπερω</i> , <i>to pass through the pores</i>	III
Diuretica — <i>σειρω</i> , <i>to make water</i>	IV
Emmenagoga . . — <i>εν</i> , <i>in</i> ; <i>μην</i> , <i>the menses</i> ; and <i>αγω</i> , <i>to draw</i>	IX
Epispastica — <i>επι</i> , and <i>σπασω</i> , <i>to draw</i>	V
Errhina — <i>εν</i> , <i>in</i> ; and <i>ρις</i> , <i>the nose</i>	VII
Expectorantia . . — <i>ex</i> , <i>out</i> ; and <i>pectus</i> , <i>the breast</i> .	VI
Lithontriptica. — <i>λιθος</i> , <i>a stone</i> , and <i>θρυπτω</i> , <i>to break</i>	XI
Sialagoga — <i>σιαλον</i> , <i>saliva</i> ; and <i>αγω</i> , <i>to force</i> .	VIII
Stimulantia . . . — <i>stimulo</i> , <i>to stimulate</i>	XVIII

THE
MEDICINES.

A.		Class.	Or.
Æther vitriolicus	{ <i>Vitriolic Æther</i> . . . }	XIX	I
	{ <i>V. F. 96</i> . . . }		
Absinthium . . .	<i>Wormwood</i> . . .	XIV	I
Acetōsa . . .	<i>Sorrel</i> . . .	IV	II
Acētum . . .	<i>Vinegar</i> . . .	IV	II
Acidum vitriolicum	{ <i>Vitriolic Acid</i> . . . }	XV	III
	{ <i>V. F. 71</i> . . . }	XVI	II
Alōe socotōrina . .	{ <i>Socotrine Aloes</i> . . . }	II	I
	{ <i>V. F. 10, 11, 12, 13,</i>	IX	I
	<i>14, 15, 58</i> . . . }		
Alūmen ustum . .	{ <i>Burnt Allum</i> . . . }	XVI	I
	{ <i>V. F. 74, 75</i> . . . }		
Alkōhol . . .	{ <i>V. F. 10</i> . . . }	XIV	III
		XV	III
Alkalīna . . .	{ <i>Alkali</i> . . . }	XII	II
		XIII	II
Alkali volatile . .	{ <i>Volatile Alkali</i> . . . }	XVIII	II
		XIX	I
Allium . . .	<i>Garlic</i> . . .	VI	I
Althæa . . .	{ <i>Marshmallozw</i> . . . }	XVII	I
	{ <i>V. F. 90</i> . . . }		
Amygdāla dulcis .	{ <i>Sweet Almond.</i>		
	{ <i>V. F. 85.</i>		
Ammoniacum gum-	{ <i>Gum-resin of Ammonia-</i>		
mi-resina . . .	<i>cum.</i>		
	{ <i>V. F. 49</i>		
Ammonia . . .	<i>V. F. 45.</i>	XII	II
Ammoniacum . .	{ <i>Gum Ammoniacum</i> . . . }	VI	I
	{ <i>V. F. 41</i> . . . }		
Angelica . . .		VIII	I

		Class.	Or.
Antimonium tartari-	{ <i>Tartarised Antimony</i> <i>Olim Tartar Emetic</i> <i>V. F. 1, 2, 8, 22 . .</i> }	I	I
sātum		II	II
Apīum		IV	I
Aqua	<i>Parsley</i> <i>Water</i>	IV	I
— ammoniæ ace-	{ <i>Water of Ammonia.</i> <i>V. F. 34, 73.</i> <i>Cinnamon Water.</i> <i>V. F. 16, 20, 32, 35,</i> <i>43, 46, 48, 70, 72,</i> <i>80, 98.</i> }	III	IV
tātæ			
— cinnamōmi . . .			
— calcis	<i>Lime Water.</i> }	X	IV
— fœniculi	{ <i>Fennel Water.</i> <i>V. F. 43.</i> }	XI	I
— kali puri	<i>Water of pure Kali .</i>	XI	I
— mephitica alka-	{ }	XI	I
lina			
— nucis moschatæ	{ <i>Nutmeg Water.</i> <i>V. F. 40, 98.</i> }		
— pulegii	{ <i>Pennyroyal Water.</i> <i>V. F. 39, 52, 100.</i> }		
— rosārum	{ <i>Rose Water.</i> <i>V. F. 24, 95.</i> }		
<i>Aromatic powder . . .</i>	<i>V. Pulvis aromaticus.</i>	XVI	II
Argentum nitrātum	<i>Nitrated Silver . .</i>	III	I
Arnīca	<i>Leopard's bane . .</i>	XV	I
Arsenīcum	<i>Arsenic</i>	IX	III
Asafœtida	<i>V. F. 93, 97 . . .</i> }	XIV	III
Asārum	<i>Asarabacca</i> }	XIX	I
		I	I
		VIII	I

B.

Baccus juniperi . . .	{ <i>Juniper Berry.</i> <i>V. F. 21, 36, 38.</i> }
-----------------------	---

		Class.	Or.
Balsānum Peruvia-	{ <i>Balsam of Peru.</i> <i>V. F. 11.</i>		
num			
<i>Bearsfoot</i>	<i>V. Uva Ursi.</i>		
<i>Beet</i>	<i>V. Beta.</i>		
<i>Berberis</i>	<i>Barberry</i>	IV	II
<i>Bēta</i>	<i>Beet</i>	VII	I
<i>Betonīca.</i>	<i>Betony</i>	VII	I
<i>Bitter apple</i>	<i>V. Colocynthis.</i>		
<i>Broom tops</i>	<i>V. Genistæ Cacumen.</i>		
C.			
Calomēlas	{ <i>Calomel</i> <i>V. F. 8, 12, 28, 53, 59,</i> 66.	II	I
		III	II
Calor	<i>Warmth</i>	XVIII	II
Camphōra	{ <i>Camphor</i> <i>V. F. 30, 94, 97.</i>	III	III
		XIV	III
		XIX	I
Camphorated mixture	{ <i>V. Mistura Campho-</i> <i>rata.</i>		
Cantharides	{ <i>Spanish Fly</i>	IV	I
		V	II
		IX	I
		XVIII	I
Carīca	{ <i>The Fig</i> <i>V. F. 90.</i>	XVII	I
Cardamōmum	{ <i>Cardamom Seed.</i> <i>V. F. 22.</i>		
Castorēum		IX	III
Cineres genistæ	{ <i>The Ashes of Broom.</i> <i>V. F. 42.</i>		
<i>Cinchona</i>	<i>V. Cortex Peruvianus.</i>		
Cinnamōmum	<i>Cinnamon</i>	XVIII	II
<i>Coubage</i>	<i>V. Stizolobium.</i>		
Coccinella	{ <i>Cochineal.</i> <i>V. F. 22.</i>		
Colchīcum	<i>Meadow Saffron</i>	IV	I

		Class.	Or.
<i>Coltsfoot</i>	<i>V. Tussilago.</i>		
<i>Conserva rosarum</i>	{ <i>Conserve of Roses.</i> <i>V. F. 24, 31, 67, 75,</i> <i>87, 91.</i>		
<i>Coriandrum</i>	{ <i>Coriander.</i> <i>V. F. 22.</i>		
<i>Cornu cervi ustum</i>	{ <i>Burnt Hartsborn.</i> <i>V. F. 63.</i>		
<i>Cortex Peruvianus</i>	{ <i>Peruvian Bark</i> <i>V. F. 71, 75, 76, 77,</i> <i>80, 83, 99.</i>	XIV XV XIX	I II I
<i>Cortex radidis me- zeri</i>	{ <i>The Bark of the Meze- reon Root</i> <i>V. F. 26</i> }	V	I
<i>Corporis exercitio</i>	<i>Bodily Exercise</i>	IX	II
<i>Corallina</i>	{ <i>Coral.</i> <i>V. F. 60, 63.</i>		
<i>Conserva corticis aurantii</i>	{ <i>Conserve of Orange peel.</i> <i>V. F. 77.</i>		
<i>Confectio aromatica</i>	{ <i>Aromatic Confection.</i> <i>V. F. 70, 72, 80.</i>		
<i>Contrayerva</i>	<i>V. F. 23</i>	III	I
<i>Colocynthis</i>	{ <i>Bitter Apple</i> <i>V. F. 15</i> }	II	I
<i>Cuprum</i>	<i>Copper</i>	XV XIX	I II
<i>Cuprum vitriolatum</i>	<i>Vitriolated Copper</i>	XVI	I
<i>Chamamēlum</i>	<i>Chamomile</i>	I XIV	I I
<i>Cremor tartari</i>	{ <i>Cream of Tartar.</i> <i>V. F. 18.</i>		
<i>Creta præparata</i>	<i>Prepared Chalk</i>	XIII	II
<i>Crocus</i>	{ <i>Saffron.</i> <i>V. F. 10, 22.</i>		
D.			
<i>Dandelion</i>	<i>V. Taraxicum.</i>		
<i>Daucus sylvestris</i>	<i>Wild Carrot</i>	IV	I

		Class.	Or.
Decoctum corticis Peruviani . . .	$\left\{ \begin{array}{l} \text{Decoction of Peruvian} \\ \text{Bark.} \\ \text{V. F. 70.} \end{array} \right.$		
Diæta lauta . . .	<i>A full Diet</i> . . .	IX	II
Digitālis	<i>Foxglove</i>	I	III
<i>Dragon's blood</i>	<i>V. Sanguis Draconis.</i>	II	VI
E.			
Euphorbium		VII	I
Elatērium	<i>Wild cucumber</i> . . .	II	I
Electricitas	<i>Electricity</i>	IX	I
		XVIII	II
		XIX	I
Electuarium e scor- dio	$\left\{ \begin{array}{l} \text{Electuary of Water-ger-} \\ \text{mander.} \\ \text{V. F. 20.} \end{array} \right.$		
Enūla	$\left\{ \begin{array}{l} \text{Elecampane} \\ \text{V. F. 50} \end{array} \right.$	VI	I
Exercitium	<i>Exercise</i>	XIX	II
Extractum gentiānæ	$\left\{ \begin{array}{l} \text{Extract of Gentian.} \\ \text{V. F. 12, 13, 17, 25.} \end{array} \right.$		
Extractum jalapii . .	$\left\{ \begin{array}{l} \text{Extract of Jalap.} \\ \text{V. F. 15.} \end{array} \right.$		
Extractum ligni gu- aiaci	$\left\{ \begin{array}{l} \text{Extract of Guaiacum} \\ \text{Wood.} \\ \text{V. F. 28.} \end{array} \right.$		
F.			
Ferrum	<i>Iron</i>	XIX	II
Ferri rubīgo	$\left\{ \begin{array}{l} \text{Rust of Iron} \\ \text{V. F. 77} \end{array} \right.$	IX	II
— limatura . . .	<i>Filings of Iron</i> . . .	XV	I
Ferrum ammonia- cale	$\left\{ \begin{array}{l} \text{Amoniacal Iron} \\ \text{V. F. 56.} \end{array} \right.$	XV	I

		Class.	Or.
Ferrum vitriolatum	$\left\{ \begin{array}{l} \text{Vitriolated Iron} \dots\dots\dots \\ \text{V. F. 13, 54, 57, 58,} \\ \quad 78 \dots\dots\dots \end{array} \right\}$	X XV	I I
Filings of Iron	V. Limatura Ferri.		
Filix	Fern Root	X	I
Foxglove	V. Digitalis.		
Flores chamæmeli	$\left\{ \begin{array}{l} \text{Chamomile Flowers.} \\ \text{V. F. 65.} \end{array} \right\}$		
— sulphuris	$\left\{ \begin{array}{l} \text{Flowers of Sulphur} \dots\dots\dots \\ \text{V. F. 18, 50} \dots\dots\dots \end{array} \right\}$	II	III
French Brandy	V. Spiritus Vini Gallici.		
Fructus et vegetabilia	Fruits and vegetables.	XIII	II
G.			
Gallæ	Galls	XV	II
Gambogia	$\left\{ \begin{array}{l} \text{Gamboge} \dots\dots\dots \\ \text{V. F. 66} \dots\dots\dots \end{array} \right\}$	II X	I V
Garlic	V. Allium vel Theriaca		
Genistæ cacumina	Broom Tops	IV	I
Ginger	V. Zinziber.		
Gummi Arabicum	$\left\{ \begin{array}{l} \text{Gum Arabic.} \\ \text{V. F. 85, 94, 95.} \end{array} \right\}$		
Guaiacum gummi-	$\left\{ \begin{array}{l} \text{Gum-resin of Guaiac} \dots\dots\dots \\ \text{V. F. 11, 16, 24, 25,} \\ \quad 27 \dots\dots\dots \end{array} \right\}$	II III	II I
resina			
Glycyrrhiza	$\left\{ \begin{array}{l} \text{Liquorice} \dots\dots\dots \\ \text{V. F. 26, 49, 50, 83,} \\ \quad 90 \dots\dots\dots \end{array} \right\}$	VI	II
H.			
Hellebörus	$\left\{ \begin{array}{l} \text{Hellebore} \dots\dots\dots \end{array} \right\}$	VII X	I I
Henbane	V. Hyoscyamus.		
Honey	V. Mel.		
Horehound	V. Marrubium.		
Horse-radish	V. Raphanus Rusticanus.		
Hyoscyamus	Henbane	II	IV

		Class.	Or.
Hydrargyrum vitriolatus	$\left\{ \begin{array}{l} \text{Vitriolated Quicksilver} \\ \text{.} \end{array} \right\}$	I	I
— cum sulphure	$\left\{ \begin{array}{l} \text{Quicksilver with Sul-} \\ \text{phur} \\ \text{V. F. 27, 60} \end{array} \right\}$	X	I
—	$\left\{ \begin{array}{l} \text{Mercury} \end{array} \right\}$	IX XIII	I II

I.

Indian Pink	V. Spigelia.		
Infusio corticis Peruviani	$\left\{ \begin{array}{l} \text{Infusion of Peruvian} \\ \text{Bark.} \\ \text{V. F. 40.} \end{array} \right\}$		
Ipecacuanha	V. F. 2, 8	$\left\{ \begin{array}{l} \text{I} \\ \text{III} \end{array} \right\}$	$\left\{ \begin{array}{l} \text{I} \\ \text{III} \end{array} \right\}$
Jalapium	$\left\{ \begin{array}{l} \text{Jalap} \\ \text{V. F. 9, 19, 20, 66} \end{array} \right\}$	II	I
Japan earth	V. Terra Japonica.		
Juniperi cacumina	Juniper Tops	IV	I

K.

Kali præparatum	$\left\{ \begin{array}{l} \text{Prepared Kali} \\ \text{V. F. 35} \end{array} \right\}$	IV	II
— tartarisatum	V. F. 41, 42, 72.		
— acetatum	Acetated Kali	IV	II
— vitriolatum	Vitriolated Kali	II	III

L.

Lac ammoniaci	$\left\{ \begin{array}{l} \text{Milk of Ammoniacum} \\ \text{V. F. 51.} \end{array} \right\}$		
Leopard's bane	V. Arnica.		
Lemon juice	V. Succus Limonis.		
Liquorice	V. Glycyrrhiza.		
Limatūra	$\left\{ \begin{array}{l} \text{Filings of Iron} \\ \text{.} \end{array} \right\}$	IX X	II IV
Lime water	V. Aqua Calcis.		

		Class.	Or.
Lini semen	<i>Linseed</i>	XVII	I
Liquor volatilis cor- nu cervi	<i>The volatile Liquor of</i> <i>Hartsbern</i> V. F. 88.	III	III
	M.		
<i>Madder</i>	V. <i>Rubia</i>		
Magnesia		XII	I
Manna		II	V
Marrubium	<i>Horehound</i>	VI	I
<i>Meadow Saffron</i>	V. <i>Colchicum</i> .		
Mel	<i>Honey.</i> V. F. 18, 50.		
<i>Mercurial Ointment</i>	V. <i>Unguentum Hy-</i> <i>drargyri.</i>		
<i>Mercury</i>	V. <i>Hydrargyrus.</i>		
Millēpedæ præpa- ratæ	<i>Prepared Woodlice.</i> V. F. 37, 42.		
Mistura camphorāta	<i>Camphorated Mixture.</i> V. F. 29, 72.		
Moschus	<i>Musk</i> V. F. 31, 32.	III XIX	III I
Mucilago gummi arabici	V. F. 12, 39.		
<i>Mustard</i>	V. <i>Sinapi.</i>		
Myrrha	<i>Myrrb</i> V. F. 10, 71, 78.	IX	III
	N.		
Natron vitriolatum	<i>Vitriolated Natron</i>	II I	III III
Nicotiāna	<i>Tobacco</i>	II VII VIII	VI I I
— fumus	<i>Smoke of Tobacco</i>	VI	I
Nitrum	<i>Nitre</i>	IV	II
Nux moschata	<i>Nutmeg</i>	XVIII	II

O.		Class.	Or.
<i>Oak</i>	<i>V. Quercus.</i>		
<i>Oleum amygdalarum</i>	<i>Oil of Almonds</i> <i>V. F. 85, 86, 87, 88.</i>	XVII	I
— <i>anisi</i>	<i>Oil of Anise.</i> <i>V. F. 93.</i>		
<i>Olea essentialia</i>	<i>Essential Oils</i>	XIX	I
<i>Oleum juniperi</i>	<i>Oil of Juniper.</i> <i>V. F. 41.</i>		
— <i>olivarum</i>	<i>Olive Oil</i>	X	I
— <i>ricini</i>	<i>Castor Oil</i>	II	V
— <i>terebinthina</i>	<i>Oil of Turpentine</i>	X	III
<i>Opium</i>		XIV	III
		III	III
		XIX	I
<i>Oxymel scillæ</i>	<i>Oxymel of Squills.</i> <i>V. F. 3, 4, 5, 19, 43, 48.</i>		
P.			
<i>Parsley</i>	<i>V. Apium.</i>		
<i>Pediluvium</i>	<i>Bathing of the Feet</i>	IX	III
<i>Piper</i>	<i>Pepper</i>	VIII	I
<i>Pilula ex alœe cum myrrha</i>	<i>Aloetic Pills with Myrrh.</i> <i>V. F. 53, 54.</i>		
— <i>ex hydrargyri</i>	<i>Mercurial Pills</i>	VIII	II
— <i>gummi</i>	<i>Gum Pills.</i> <i>V. F. 14, 53.</i>		
<i>Pulvis tragacanthæ compositus</i>	<i>Compound Powder of Tragacanth.</i> <i>V. F. 41.</i>		
— <i>aromaticus</i>	<i>Aromatic Powder.</i> <i>V. F. 11, 56, 99.</i>		
— <i>corticis Peruviani</i>	<i>Peruvian Bark in Powder.</i> <i>V. F. 69.</i>		
<i>Prepared oyster shells</i>	<i>V. Testæ ostræorum pp.</i>		

		Class.	Or.
Q.			
Quercus	Oak	XV	II
R.			
Raisins	V. Uvæ passæ.		
Raphanus Rustica-	{ Horse-radish V. F. 41, 92. }	I	II
nus		V	I
		XVIII	I
Rubia	Madder	IX	I
Rheum vel	{ Rhubarb V. F. 21, 22, 41, 59, }	IV	V
Rhabarbarum		II	IV
	{ 63, 65, 79 }	IX	V
Rhubarb	V. Rheum.		
S.			
Sabina	{ Savin V. F. 60 }	IX	I
		X	IV
Saccharum album	{ Refined Sugar V. F. 21, 25, 34, 57, 84, 85. }		
Sal cornu cervi	{ Salt of Hartsborn. V. F. 24, 89. }		
Sal Prunellæ	Purified Nitre	VIII	I
Sales acidi et neutri	Acid and Neutral Salts	XIV	II
Santonicum	{ Wormseed V. F. 60, 64. }	X	IV
Sanguis draconis		XV	II
	{ V. F. 74 }		
Sapo	{ Soap V. F. 14, 37, 44, 64. }	X	V
		XI	I
		XII	I
		XIII	II
Semen dauci sylvestris	{ Seed of the Wild Carrot. V. F. 36, 37. }		
Senna	V. F. 21, 22	II	I

		Class.	Or.
Semen fœniculi . . .	$\left\{ \begin{array}{l} \text{Fennel Seed.} \\ V. F. 21. \end{array} \right.$		
Silver	V. Argentum.		
Simarouba		XV	II
Sināpi	$\left\{ \begin{array}{l} \text{Mustard} \\ V. F. 91, 92. \end{array} \right.$	$\left\{ \begin{array}{l} I \\ V \\ XVIII \end{array} \right.$	$\left\{ \begin{array}{l} II \\ I \\ I \end{array} \right.$
Sorrel	V. Acetosa.		
Succus limonis . . .	$\left\{ \begin{array}{l} \text{Lemon juice.} \\ V. F. 35, 89. \end{array} \right.$		
—— raphani rus- ticani	$\left\{ \begin{array}{l} \text{The Juice of Horse-rad-} \\ \text{ish.} \\ V. F. 5. \end{array} \right.$		
Sulphur antimonii præcipitatum . . .	$\left\{ \begin{array}{l} \text{Precipitated Sulphur of} \\ \text{Antimony.} \\ V. F. 28. \end{array} \right.$		
Scammonium	$\left\{ \begin{array}{l} \text{Scammony} \\ V. F. 15, 16. \end{array} \right.$	$\left\{ \begin{array}{l} II \\ X \end{array} \right.$	$\left\{ \begin{array}{l} I \\ V \end{array} \right.$
Scilla exsiccata . . .	$\left\{ \begin{array}{l} \text{Dried Squills} \\ V. F. 44. \end{array} \right.$	$\left\{ \begin{array}{l} I \\ IV \\ VI \\ VIII \end{array} \right.$	$\left\{ \begin{array}{l} I \\ I \\ I \\ I \end{array} \right.$
—— recens	$\left\{ \begin{array}{l} \text{Fresh Squills.} \\ V. F. 45. \end{array} \right.$		
Scobī guaiaci	$\left\{ \begin{array}{l} \text{Raspings of Guaiacum.} \\ V. F. 21. \end{array} \right.$		
Serum lactis	Whey	$\left\{ \begin{array}{l} IV \\ XIII \end{array} \right.$	$\left\{ \begin{array}{l} III \\ I \end{array} \right.$
Spermaceti	V. F. 51, 87, 89 . . .	$\left\{ \begin{array}{l} VI \\ XVII \end{array} \right.$	$\left\{ \begin{array}{l} II \\ I \end{array} \right.$
Spiritus vinosus te- nuior	$\left\{ \begin{array}{l} \text{Proof Spirit of Wine.} \\ V. F. 71. \end{array} \right.$		
Spiritus vini	Spirit of Wine	XIX	I
Squills	V. Scilla.		
Spigēlia	$\left\{ \begin{array}{l} \text{Indian Pink.} \\ V. F. 62. \end{array} \right.$		
Spiritus nucis mos- chatæ	$\left\{ \begin{array}{l} \text{Spirit of Nutmeg.} \\ V. F. 89. \end{array} \right.$		

	Class.	Or.
Spiritus vini Gallici	X	I
— cinnamōmi		
Stannum		
Stizolobium		
Syrupus simplex . .		
— althææ		
— corticis au-		
rantii		
— caryophilli		
rubri		
— croci		
Syrūpus papaveris		
erratici		
— papaveris		
albi		
— Rosæ	X	II
— tolutānus . .		
— violarum . .		
— zinziberis		

French Brandy.
V. F. 21, 22.

Spirit of Cinnamon.
V. F. 80.

Tin
V. F. 61.

Cabbage

Simple Syrup.
V. F. 15.

Syrup of Marshmallows.
V. F. 68.

Syrup of Orange-peel.
V. F. 11, 39, 40, 58,
60, 69, 77, 80, 83,
99.

*Syrup of Clove July-
flower.*
V. F. 46, 100.

Syrup of Crocus.
V. F. 23, 52, 70, 72,
98.

Syrup of Wild Poppies.
V. F. 1.

Syrup of White Poppies.
V. F. 28, 94, 95, 97.

Syrup of Roses.
V. F. 13, 16, 67, 74,
75.

Syrup of Tolu.
V. F. 72, 86, 88, 89.

Syrup of Violets.
V. F. 6, 7, 86, 87.

Syrup of Ginger.
V. F. 76, 91.

		Class.	Or.
T.			
T'anacētum	<i>Tansy</i>	X	IV
Taraxācum	<i>Dandelion</i>	IV	I
Terra japonica	{ <i>Japan Earth.</i> <i>V. F. 76.</i>		
Terebinthīna venēta	{ <i>Venice Turpentine.</i> <i>V. F. 80, 79.</i>		
Terebinthīna	<i>Turpentine</i>	IV	I
Testæ ostreorum præparatæ	{ <i>Prepared Oyster-shell</i>	XII	II
Tin	<i>V. Stannum.</i>		
Tinctura asafœtidæ	{ <i>Tincture of Asafœtida.</i> <i>V. F. 72.</i>		
——— alœe compo- sita	{ <i>Compound Tincture of</i> <i>Aloes.</i> <i>V. F. 55.</i>		
——— opii	{ <i>Tincture of Opium.</i> <i>V. F. 33, 34, 97.</i>		
——— cantharidis	{ <i>Tincture of Cantharides.</i> <i>V. F. 40, 47, 52.</i>		
——— corticis Pe- ruviani composita	{ <i>Compound Tincture of Pe-</i> <i>ruvian Bark.</i> <i>V. F. 69, 81, 82.</i>		
——— ferri muriati	{ <i>Tincture of muriated I-</i> <i>ron.</i> <i>V. F. 55.</i>		
Tinctura hellebōri nigri	{ <i>Tincture of Black Hel-</i> <i>lebere.</i>		
——— scillæ	{ <i>Tincture of Squills.</i> <i>V. F. 46.</i>		
——— serpentariæ	{ <i>Tincture of Serpentaria.</i> <i>V. F. 70.</i>		
——— valerianæ ammoniata	{ <i>Ammoniated Tincture of</i> <i>Valerian.</i> <i>V. F. 100.</i>		
Tormentiila	{ <i>Tormentil.</i> <i>V. F. 83.</i>		

		Class.	Or.
<i>Turpentine</i>	<i>V. Terebinthina.</i>		
<i>Tussilāgo</i>	<i>Coltsfoot</i>	VI	II
<i>Theriaca</i>	<i>{ Garlic.</i> <i>{ V. F. 61.</i>		

V.

<i>Valeriana</i>	<i>{ Valerian }</i> <i>{ V. F. 19.</i>	XIX	I
<i>Vapores</i>	<i>Steams</i>	VI	II
<i>Vesicatoria</i>	<i>Irritating plaisters</i> . . .	VI	I
<i>Vinegar</i>	<i>V. Acetum.</i>		
<i>Vinum</i>	<i>Wine</i>	XVIII	II
— album	<i>{ White Wine.</i> <i>{ V. F. 38, 42.</i>		
— Antimonii	<i>{ Antimonial Wine }</i> <i>{ V. F. 3, 6, 7, 29, 33. }</i>	III	II
— Ipecacuan- hæ	<i>{ Ipecacuanba Wine.</i> <i>{ V. F. 6, 7, 34.</i>		

U.

<i>Unguentum hydrar-</i> <i>gyri mitius</i>	<i>{ The Milder Mercurial }</i> <i>{ Ointment }</i>	VIII	II
<i>Unguentum hydrar-</i> <i>gyri fortius</i>	<i>{ The Stronger Mercurial }</i> <i>{ Ointment }</i>	VIII	II
<i>Uvæ passæ</i>	<i>{ Raisins.</i> <i>{ V. F. 22, 90.</i>		
— ursi	<i>Bear's foot</i>	XI	II

W.

<i>Wormwood</i>	<i>V. Absinthium.</i>		
<i>Wormsæd</i>	<i>V. Santonicum.</i>		
<i>Wine</i>	<i>V. Vinum.</i>		
<i>Whey</i>	<i>V. Serum Lactis.</i>		

APPENDIX.

A

GENERAL POSOLOGICAL TABLE.

A.

DOSES.

Acetum Scillæ . . .	<i>Vinegar of Squills</i> . .	gtt. 10...gtt. 50.
Acidum muriaticum	<i>Muriatic Acid</i>	gtt. 15...gtt. 40.
— vitriolicum } dilutum }	<i>Diluted Vitriolic Acid</i>	gtt. 10...gtt. 30.
Æther vitriolicus . .	<i>Vitriolic Æther</i> . . .	gtt. 10...gtt. 100.
Aloe socotrina . . .	<i>Socotrine Aloes</i>	gr. 15...scr. 1.
Alumen	<i>Alum</i>	gr. 6...gr. 12.
Ammonia præparata	<i>Prepared Ammonia</i> . .	gr. 5...scr. 1.
Ammoniacum . . .	<i>Gum Ammoniacum</i> . .	gr. 10...gr. 15.
Antimonium	<i>Crude Antimony</i> . . .	scr. 1...dr. 1.
— calci- } natum }	<i>Calcined Antimony</i> . .	gr. 15...scr. 2.
— tarta- } risatum }	<i>Tartarised Antimony</i>	gr. 1...gr. 6.
— vitri- } ficatum cerat . . . }	<i>Vitrified Antimony</i> . .	gr. 2...gr. 10.
Aqua ammoniæ . .	<i>Water of Ammonia</i> . .	gtt. 10...gtt. 30.
— ace- } tatæ }	<i>Water of acetated Am-</i> <i>monia</i> }	dr. 2...dr. 6.
— anethi	<i>Dill-seed Water</i> . . .	un. 1...un. 2.
— calcis	<i>Lime Water</i>	un. 4...lb. $\frac{1}{2}$.
— cinnamomi . .	<i>Cinnamon Water</i> . . .	un. 1...un. 4.
— fœniculi . . .	<i>Fennel Water</i>	un. 2...un. 4.
— kali }	<i>Water of prepared</i> <i>Kali</i> }	gtt. 20...gtt. 30.

DOSES.

Aqua kali puri . . .	Water of pure Kali .	gtt 10...gtt.30.
— menthæ pipe- ritidis	} Peppermint Water . .	un. 2...un. 4.
— pimento . . .		
— pulegii . . .	Pennyroyal Water . .	un. 2...un. 4.
— Rosæ . . .	Rose Water . . .	ad libitum.
Arabicum Gummi .	Gum Arabic . . .	dr. 1...dr. 2.
Asafœtida		gr. 10...scr. 1.

B.

Balsamum canadense	Canada Balsam . .	gr. 15...gr. 30.
— copaiivæ	Balsam of Copaiiva .	gtt.20...gtt.40.
— peruvia- num	} Balsam of Peru . .	gr. 6...gr. 25.
— tolutanum		
	Balsam of Tchu . .	scr. 1...dr. 1.

C.

Calomelas . . .	Calomel	gr. 8...gr. 10.
Camphora . . .	Camphor	gr. 3...scr. 1.
Cantharis . . .	Cantharides . . .	gr. $\frac{1}{2}$...gr. 4.
Cardamomum . .	Cardamom seeds . .	gr. 5...gr. 10.
Cascarilla . . .	Cascarilla Bark . .	scr. $\frac{1}{2}$...dr. 1.
Castoreum . . .	Castor	gr. 3...scr. 1.
Catechu		gr. 15...scr. 2.
Chamæmelum . .	Camomile	scr. $\frac{1}{2}$...dr. 1.
Cicuta	Hemlock	gr. 5...scr. 1.
Cinchona	Peruvian Bark . .	scr. 1...dr. 2.
Colomba		gr. 10...scr. 1.
Confectio aromatica	Cordial Confection . .	gr. 15...scr. 2.
— opiatæ . . .	Confection of Opium .	gr. 5...scr. 1.
Conserva absinthii	{ Conserve of Sea } Wormwood	dr. 2...un. $\frac{1}{4}$.
maritimi		
— ari	{ Conserve of Cuckoo- pint }	scr 1...dr. 1.
— corticis au- rantii		
	{ Conserve of Orange Peel }	ad libitum.
— cynocbati	Conserve of Hips . .	

DOSES.

Conserva lujulæ . .	{ <i>Conserve of Wood-</i>	dr. 4...un. 1.
————— pruni syl-	<i>sorrel</i>	
vestris	{ <i>Conserve of Sloes . .</i>	dr. 1...dr. 3.
————— rosæ ru-		
bræ	{ <i>Conserve of Red Roses</i>	dr. 2...un. 1.
————— scillæ . .	<i>Conserve of Squills .</i>	scr. 1...dr. 1.
Contrayerva		gr. 10...dr. $\frac{1}{2}$.
Coriandrum	<i>Coriander Seeds . .</i>	scr. 1...dr. 1.
Cornu cervi ustum . .	<i>Burnt Hartsborn . .</i>	dr. $\frac{1}{2}$...dr. 2.
Creta	<i>Chalk</i>	gr. 15...scr. 1.

D.

Decoctum cinchonæ . .	{ <i>Decoction of Peruvian</i>	un. 2...un. 6.
————— cornu	<i>Bark</i>	
cervi	{ <i>Decoction of Harts-</i>	un. 4...lb. $\frac{1}{2}$.
————— hordei . .	<i>born</i>	
—————	{ <i>Simple Decoction of</i>	un. 4...lb. $\frac{1}{2}$.
compositum	<i>Barley</i>	
—————	{ <i>Compound Decoction of</i>	un. 4...lb. $\frac{1}{2}$.
sarsapa-	<i>Barley</i>	
rillæ	{ <i>Simple Decoction of</i>	un. 4...lb. $\frac{1}{2}$.
—————	<i>Sarsaparilla . . .</i>	
compositum	{ <i>Compound Decoction of</i>	un. 4...lb. $\frac{1}{2}$.
————— ulmi . .	<i>Sarsaparilla . . .</i>	
Digitalis	<i>Decoction of Elm . .</i>	un. 4...lb. $\frac{1}{4}$.
—————	<i>Fox-glove</i>	gr. $\frac{1}{2}$...gr. 2.

E.

Elaterium	{ <i>The inspissated juice</i>	gr. $\frac{1}{2}$...gr. 3.
—————	<i>of the Wild Cu-</i>	
Electuarium cassiæ . .	<i>cumber</i>	
————— scam-	<i>Electuary of Cassia .</i>	dr. 1...dr. 6.
monii	{ <i>Electuary of Scamme-</i>	scr. 1...dr. 1.
————— sennæ	<i>ny</i>	
—————	<i>Electuary of Senna .</i>	dr. $\frac{1}{2}$...dr. 4.

Extractum cacumi-	{	<i>Extract of Broom-</i>	scr. 1½...dr. 1½
nīs genistæ . . .			
— cascarillæ	{	<i>Extract of Cascarella</i>	gr. 10...scr. 1½
— chamæ-			
— meli			
— cinchonæ	{	<i>Extract of Peruvian</i>	gr. 10...scr. 1½
— — — — —			
— cum resinâ . .	{	<i>Extract of Bark with</i>	gr. 10...scr. 1½
— — — — —			
— colocyn-	{	<i>Compound Extract of</i>	gr. 5...gr. 25.
— thidis compositum			
— gentianæ	{	<i>Extract of Gentian</i>	gr. 10...scr. 1½
— glycyrr-			
— rhizæ			
— hæma-	{	<i>Extract of Logwood</i>	gr. 10...dr. 2.
— toxyli			
— hellebori	{	<i>Extract of Black Hel-</i>	gr. 2...gr. 10.
— nigri			
— jalapii . .	{	<i>Extract of Jalap . .</i>	gr. 10...scr. 1.
— papaveris			
— albi	{	<i>Extract of White</i>	gr. 1...gr. 5.
— — — — —			
— rutæ . .	{	<i>Extract of Rue . .</i>	gr. 10...scr. 1.
— sabinæ .			
— sennæ . .	{	<i>Extract of Senna . .</i>	gr. 10...scr. 1½
— — — — —			

F.

Ferri rubigo . . .	{	<i>Rust of Iron . . .</i>	gr. 6...scr. 1½
Ferrum ammonia-			
— cale	{	<i>Ammoniacal Iron . .</i>	gr. 2...gr. 10.
— tartarisatum			
— vitriolatum	{	<i>Tartarized Iron . .</i>	gr. 2...gr. 10.
— — — — —			
Filix	{	<i>Vitriolated Iron . .</i>	gr. 1...gr. 6.
— — — — —			
Flores benzoes . .	{	<i>Male Fern Root . .</i>	scr. 1½...un. ½.
— sulphuris . .			
— — — — —	{	<i>Flowers of Benzoin .</i>	gr. 10...scr. 1.
— — — — —			
— — — — —	{	<i>Flowers of Sulphur .</i>	scr. 1...scr. 1½
— — — — —			

G.

DOSES.

Gambogia . . .	Gamboge . . .	gr. 2...gr. 12.
Genista . . .	Broom Tops . . .	scr. 1...dr. 1.
Gentiana . . .	Gentian . . .	gr. 10...dr. 1.
Ginseng	gr. 10...dr. 1.
Glycyrrhiza . . .	Liquorice Root . . .	dr. 4...dr. 6.
Guaiacum	scr. 1½...dr. 1.
Gummi resina . . .	Gum resin . . .	gr. 6...scr. 1½.

H.

Hæmatoxylum . .	Logwood . . .	gr. 10...dr. 1.
Helleborus niger . .	Black Hellebore . . .	gr. 1...gr. 5.
Hydrargyrum . .	Quicksilver . . .	un. ½...un. 4.
acetatus	Acetated Quicksilver . .	gr. 1...gr. 10.
calci-	} Calcined Quicksilver . .	gr. ½...gr. 2.
natus		
cum	} Quicksilver with Chalk	gr. 5.. .scr. 1.
cretâ		
muria-	} Muriated Quicksilver	gr. ⅛...gr. ⅛.
tus		
cum	} Sulphurated Quicksil-	scr. 1...dr. 1.
sulphure		
sulphu-	} Red sulphurated Quick-	gr. 10...scr. 1½.
ratus ruber		
vitrio-	} Vitriolated Quicksil-	gr. ⅛...gr. 4.
latus		

I.

Infusum gentianæ . .	} Compound Infusion of	un. 2...un. 4.
compositum		
rosæ	Infusion of Roses . . .	un. 2...lb. ⅛.
sennæ	} Simple infusion of	un. 2...un. 4.

DOSES.

Infusum sennæ tar-	{ Tartarised infusion of }	un. 2...un. 4.
tarisatum		
Ipecacuanha	{ Senna }	gr. 10...scr. 1.
Iris	Florentine Orris	scr. 1...dr. 1.

J.

Jalapium	Jalap	gr. 7...scr. $\frac{1}{2}$.
Juniperus	Juniper Berries	scr. 1...dr. 1.

K.

Kino		gr. 10...scr. $1\frac{1}{2}$.
Kali præparatum	Prepared Kali	gr. 8...scr. 1.
— acetatum	Acetated Kali	scr. 1...dr. 1.
— tartarisatum	Tartarised Kali	dr. 2...dr. 6.
— vitriolatum	Vitriolated Kali	dr. 2...dr. 6.

L.

Lac ammoniaci	Milk of Ammoniacum	dr. 2...un. 1.
— amygdalæ	Milk of Almonds	un. 2...un. 6.
Liquor volatilis cor-	{ Volatile Liquor of }	scr. $1\frac{1}{2}$...dr. 2.
nu cervi		
	Hartsborn	

M.

Magnesia alba	White Magnesia	scr. 1...dr. 2.
— — — — — usta	Burnt Magnesia	scr. $1\frac{1}{2}$...dr. 1.
— — — — — vitriolata	Vitriolated Magnesia	dr. 2...dr. 6.
Manna		un. $\frac{1}{2}$...un. 2.
Mel acetatum	Acetated Honey	dr. 1...dr. 2.
— rosæ	Rose Honey	dr. 1...dr. 2.
— scillæ	Squill Honey	scr. $1\frac{1}{2}$...dr. 2.
Millepeda	Woodlice	dr. 1...dr. 3.

DOSES.

Mistura camphorata	<i>Camphorated Mixture</i>	un. 2...un. 4.
——— cretacea .	<i>Chalk Mixture</i> . .	un. 2...un. 4.
——— moschata .	<i>Musk Mixture</i> . .	dr. 4...un. 2.
Mucilago amyli . .	<i>Mucilage of Starch</i> .	dr. 1...un. 1.
——— arabici	{ <i>Mucilage of Gum</i> }	dr. 1...un. 1.
gummi		
——— seminis	{ <i>Mucilage of Quince-</i> }	dr. 1...un. 1.
cydonii mali . .		
——— tragacan-	{ <i>Mucilage of Traga-</i> }	dr. 1...un. 1.
thæ		
Myrrha	<i>Myrrh</i>	gr. 10...scr. 1½.

N.

Natron præparatum	<i>Prepared Natron</i> . .	gr. 10...scr. 1½.
——— tartarisatum	<i>Tartarised Natron</i> .	dr. 4...un. 1.
——— vitriolatum	<i>Vitriolated Natron</i> .	dr. 6...un. 1.
Nitrum purificatum	<i>Purified Nitre</i> . .	gr. 5...scr. 1.

O.

Oleum amygdalæ .	<i>Oil of Almonds</i> . .	dr. 4...un. 1.
——— juniperi	{ <i>Oil of Juniper-ber-</i> }	gtt. 2...gtt. 10.
baccæ		
——— lavendulæ .	<i>Oil of Lavender</i> . .	gtt. 1...gtt. 5.
——— lini . . .	<i>Oil of Linseed</i> . . .	dr. 4 .un. 1.
——— olivæ . .	<i>Oil of Olives</i> . . .	dr. 4 .un. 1.
——— ricini . .	<i>Castor Oil</i>	dr. 2...un. 1.
——— sinapeos .	<i>Oil of Mustard</i> . .	dr. 4...un. 1.
Opium purificatum	<i>Purified Opium</i> . .	gr. ½...gr. 2.
Ostreorum testæ .	<i>Oyster-shells</i> . . .	scr. 1...dr. 1½.
Oxymel colchici . .	<i>Oxymel of Colchicum</i>	scr. 1...scr. 1½.
——— scillæ . .	<i>Oxymel of Squills</i> . .	scr. 1½ ..dr. 1.

P.

DOSES.

Pilula aloes compo-	{ Compound Pills of }	
sita	Aloes	gr. 10...scr. 1.
— cum	{ Pills of Aloes with }	
Myrrhâ	Myrrh	gr. 6...gr. 18.
— galbani com-	{ Compound Galbanum }	
posita	Pills	gr. 10...scr. 1½.
— hydrargyri .	Quicksilver Pills . .	gr. 6...scr. 1.
— opii	Opium Pills	gr. 2...gr. 8.
— scillæ	Squill Pills	gr. 10...scr. 1.
Pimento	All-spice	gr. 5...scr. 1.
Pulvis aloës cum	{ Aloetic Powder with }	
canellâ	canella	gr. 10...scr. 1.
— cum	{ Aloetic Powder with }	
ferro	Iron	gr. 8...gr. 18.
— cum	{ Aloetic Powder with }	
guaiaco	Guaiacum	gr. 10...scr. 1.
— antimonialis	Antimonial Powder .	gr. 3...gr. 6.
— aromaticus .	Aromatic Powder . .	gr. 5...scr. 1.
— e chelis can-	{ Compound Powder of }	scr. 1½...dr. 1.
crorum composi-		
tus	Crab's Claw	
— contrayervæ	{ Compound Powder of }	
compositus . . .	Contrayerva	gr. 15...scr. 1½.
— cretæ compo-	{ Compound Powder of }	
situs	Chalk	gr. 10...scr. 1.
— compo-	{ Compound Powder of }	
situs cum opio .	Chalk with opium . .	gr. 10...scr. 2.
— ipecacuanhæ	{ Compound Powder of }	
compositus . . .	Ipecacuanha	gr. 18...scr. 1½.
— Myrrhæ com-	{ Compound Powder of }	
positus	Myrrh	gr. 15...scr. 1½.
— opiatus . . .	Opium Powder	gr. 5...scr. 1.
— scammonii .	{ Compound Powder of }	
	Scammony	gr. 10...scr. 1.
compositus cum	{ Powder of Scammony }	gr. 5...gr. 10.
aloe		
	with aloes	

DOSES.

Pulvis scammonii	{ Powder of Scammony	gr. 8...gr. 16.
cum calomelane	{ with Calomel . . . }	
— sennæ com-	{ Compound Powder of	scr. 1...scr. 2.
positus . . .	{ Senna . . . }	
— tragacanthæ	{ Compound Powder of	scr. 1...dr. 1.
compositus . .	{ Tragacanth . . }	
Pyrethrum . . .	Pellitory of Spain . .	gr. 1...gr. 6.

Q.

Quassia	Quassy Wood . . .	gr. 5...scr. 1.
Quercus	Oak Bark	gr. 6...scr. 1.

R.

Raphanus rusticus	Horse-radish . . .	scr. 1...dr. 1.
Rheum	Rhubarb	gr. 15...scr. 2.
Ruta	Rue	gr. 15...scr. 1.

S.

Sal ammoniacus . .	Sal Ammoniac . .	gr. 8...scr. 1.
— cornu cervi . .	Salt of Hartshorn .	gr. 10...scr. 1.
— succini purifica-	{ Purified Salt of Am-	gr. 5...gr. 15.
tus	{ ber }	
Sapo	Soap	scr. 1½...dr. 4.
Sarsaparilla	scr. 1...scr. 1½.
Sassafras	scr. 1...dr. 1.
Scammonium	Scammony	gr. 5...scr. 1.
Scilla exsiccata . .	Dried Squills . . .	gr. 1...gr. 3.
— recens	Fresh Squills . . .	gr. 5...gr. 10.
Scordium	Water-germander .	scr. 1...dr. 1.
Seneka	scr. 1...scr. 2.
Senna	scr. 1...dr. 1.
Serpentaria	gr. 10...scr. 2.
Simarouba	Simarouba Bark . .	gr. 10...scr. 1½.

DOSES.

Sinapi	Mustard-seed	dr. 1...dr. 3.
Spermaceti		scr. 1...dr. 1.
Spigelia	Indian Pink	gr. 10...scr. 1.
Spina cervinæ	Buckthorn	scr. 1½...dr. 2.
Spiritus ætheris vi-	{ Vitriolic Spirit of } { Æther }	gtt. 20...gtt. 60.
tricoli		
— vi-	{ Compound Spirit of } { vitriolic Æther }	gtt. 20...gtt. 60.
tricoli compositus		
— ni-	{ Nitrous Spirit of } { Æther }	gtt. 20...gtt. 60.
trosi		
— ammoniæ	Spirit of Ammonia	scr. 1...scr. 2.
—	{ Compound Spirit of } { Ammonia }	scr. 1½...dr. 1.
compositus		
—	{ Fatid Spirit of Am- } { monia }	scr. 1...scr. 2.
fœtidus		
—	{ Succinated Spirit of } { Ammonia }	gr. 10...scr. 1.
succinatus		
— anisi com-	{ Compound Spirit of } { Aniseed }	dr. 1...dr. 4.
positus		
— carui	Spirit of Carraway	dr. 1...dr. 4.
— cinnamomi	Spirit of Cinnamon	dr. 1...dr. 4.
— juniperi	{ Compound Spirit of } { Juniper }	dr. 1...dr. 4.
compositus		
— lavendulæ	Spirit of Lavender	dr. 1...dr. 4.
—	{ Compound Spirit of } { Lavender }	scr. 1½...dr. 2.
compositus		
— menthæ pi-	{ Spirit of Peppermint } { }	dr. 1...dr. 3.
peritidis		
— sa-	{ Spirit of Spearmint } { }	dr. 1...dr. 4.
tivæ		
— nucis mos-	{ Spirit of Nutmeg }	dr. 1...dr. 4.
chataæ		
— pimento	Spirit of Pimento	dr. 1...dr. 2.
— pulegii	Spirit of Pennyroyal	dr. 1...dr. 3.
— raphani	{ Compound Spirit of } { Horse-radish }	dr. 1...dr. 3.
compositus		
Spongia usta	Burnt Sponge	scr. 1...dr. 1.
Stanni pulvis	Powder of Tin	dr. 1...dr. 6.
Styrax	Styrax	gr. 10...scr. 1.

DOSES.

Succinum præparatum	} Prepared Amber	scr. 1 $\frac{1}{2}$...dr. 1.
Succus acouiti spissatus	{ Inspissated Juice of } Henbane	gr. 1...gr. 4.
— haccæ sambuci spissatus	{ Inspissated Juice of } Elderberry	un. $\frac{1}{2}$...un. 2.
— cicutæ spissatus	{ Inspissated Juice of } Hemlock	gr. 2...gr. 10.
— cochleariæ compositus	{ Compound Juice of } Scurvy-grass	un. 2...un. 6.
— ribis nigri	{ Inspissated Juice of } Black Currant	un. $\frac{1}{2}$...un. 2.
Sulphur antimonii præcipitatum	{ Precipitated Sulphur } of Antimony	gr. 2...gr. 5.
— præcipitatum	{ Precipitated Sulphur	dr. 1...dr. 2.
Syrupus althææ	{ Syrup of Marsh-mal- } low	dr. 1...dr. 2.
— papaveris albi	{ Syrup of White Pop- } pies	dr. 4...un. 1.
— erratici	{ Syrup of wild Poppy	dr. 2...dr. 4.
— rosæ	Syrup of Rose	dr. 1...dr. 2.
— spinæ ceruinæ	{ Syrup of Buckthorn	dr. 1...dr. 2.
— violæ	Syrup of Violets	dr. 1...dr. 2.
— zinziberis	Syrup of Ginger	dr. 1...dr. 2.

T.

Tanacetum	Tan	scr. 1 $\frac{1}{2}$...dr. 1.
Tartari crystalli	Crystals of Tartar	dr. 4...un. 1.
Tinctura aloës	Tincture of Aloes	dr. 4...un. 1.
— composita	{ Compound Tincture of } Aloes	scr. 1 $\frac{1}{2}$...dr. 2.
— asæfætidæ	{ Tincture of Asa- } fætida	scr. 1...dr. 2.
— balsami peruviani	{ Tincture of Balsam of } Peru	scr. 1 $\frac{1}{2}$...dr. 2.

DOSES.

Tinctura balsami to-	{ Tincture of Balsam	scr. 1½...dr. 2.
lutani . . .	of Tolu . . .	
— benzoës	{ Compound Tincture of	dr. 1...dr. 2.
composita . .	Benjamin . . .	
— cantharidis	{ Tincture of the Span-	gr. 10...dr. 1.
	ish Fly . . .	
— cardamomi	{ Tincture of Carda-	dr. 1...dr. 3.
	mom . . .	
— composita . .	{ Compound Tincture of	dr. 1...dr. 3.
	Cardamom . . .	
— cascarillæ .	{ Tincture of Cascaril-	dr. 1...dr. 4.
	la . . .	
— castorei . .	Tincture of Castor .	scr. 1...dr. 1½
— catechu . .	Tincture of Catechu .	dr. 2...dr. 3.
— cinchonæ . .	Tincture of Bark . .	dr. 1...dr. 4.
— composita . .	{ Compound Tincture of	dr. 2...dr. 4.
	Bark . . .	
— ammoniata . .	{ Ammoniated Tincture	scr. 1½...dr. 2.
	of Bark . . .	
— cinnamomi	{ Tincture of Cinna-	dr. 1...dr. 3.
	mon . . .	
— composita . .	{ Compound Tincture of	dr. 1...dr. 3.
	Cinnamon . . .	
— colombæ . .	Tincture of Colomba .	dr. 1...dr. 3.
— ferri ammo-	{ Tincture of Ammoni-	scr. 1...dr. 2.
niacalis . . .	acal Iron . . .	
— ferri muriati	{ Tincture of Muriated	gtt. 10...gtt. 60.
	Iron . . .	
— galbani . .	{ Tincture of Galba-	dr. 1...dr. 3.
	num . . .	
— gentianæ	{ Compound Tincture of	dr. 2...dr. 3.
composita . .	Gentian . . .	
— guaiaci am-	{ Ammoniated Tincture	dr. 1...dr. 4.
moniata . . .	of Guaiacum . . .	
— helebori ni-	{ Tincture of Black Hel-	scr. 1...dr. 1.
gri . . .	lebore . . .	
— jalapii . .	Tincture of Jalap . .	dr. 1...dr. 3.
— myrrhæ . .	Tincture of Myrrh . .	dr. 1...dr. 2.

DOSES.

Tinctura opii	Tincture of Opium . .	gtt.20...gtt.25.
— camphorata	{ Camphorated Tincture of Opium }	gtt.30...gtt.60.
— rhabarbari	Tincture of Rhubarb .	dr. 4...un. 2.
— composita	{ Compound Tincture of Rhubarb }	dr. 4...un. 2.
— Sabinæ composita	{ Compound Tincture of Savin }	gtt.20...gtt.40.
— scillæ	Tincture of Squills . .	gtt.20...gtt.60.
— sennæ	Tincture of Senna . .	dr. 2...un. 1.
— serpentariæ	Tincture of Serpentari	dr. 1...dr. 2.
— valerianæ	Tincture of Valerian .	dr. 1...dr. 3.
— ammoniata	{ Ammoniated Tincture of Valerian. }	scr. 1...dr. 2.
— zingiberis	Tincture of Ginger . .	dr. 1...dr. 2.
Tormentilla	Tormentil Root	gr. 10..scr. 2.
Tragacantha	Tragacanth	gr. 10...dr. 1.


V.

Valeriana	Valerian	scr. 1...dr. 2.
Vinum aloes	Wine of Aloes	dr. 6...un. 1.
— antimonii	Antimonial Wine . . .	gtt.20 ..gtt.50.
— tartarisati	{ Wine of Tartarised Antimony }	gtt.20...gtt.50.
— ferri	Wine of Iron	dr. 1...dr. 4.
— ipecacuanhæ	Ipecacuanha Wine . .	dr. 1...dr. 4.
— rhabarbari	Wine of Rhubarb . .	dr. 4...un. 2.
Uva ursi	Bear's Whortleberry .	scr. 1...dr. 1.

Z.

Zincum calcinatum	Calcined Zinc	gr. 3...gr. 10.
— vitriolatum	{ Purified Vitriolated Zinc }	gr. 5'..scr. 1.
— purificatum		

T



INDEX

NOMINUM MUTATORUM.

FORMER NAMES.

NEW NAMES.

A.

Acetum scilliticum.
Æthiops mineralis.
Aqua aluminosa bateana.
—— *calcis simplex.*
—— *cinnamomi simplex.*
—— *spirituosa.*
—— *hordeata.*
—— *juniperi composita.*
—— *menthæ piperitidis simplex.*
—— *spirituosa.*
—— *vulgaris simplex.*
—— *spirituosa.*
—— *nucis moschataæ.*
—— *piperis jamaicensis.*
—— *pulegii simplex.*
—— *spirituosa.*
—— *raphani composita.*
—— *rosarum damascenarum.*
—— *sapphirina.*
—— *seminum anethi.*
—— *anisi composita.*
—— *carui.*
Aqua vitriolica camphorata.

Acetum scillæ.
Hydrargyrus cum sulphure.
Aqua aluminis composita.
—— *calcis.*
—— *cinnamomi.*
Spiritus cinnamomi.
Decoctum hordei.
Spiritus juniperi compositus.
Aqua menthæ piperitidis.
Spiritus menthæ piperitidis.
Aqua menthæ sativæ.
Spiritus menthæ sativæ.
—— *nucis moschataæ.*
Aqua pimento.
—— *pulegii.*
Spiritus pulegii.
—— *raphani compositus.*
Aqua rosæ.
—— *cupri ammoniati.*
—— *anethi.*
Spiritus anisi compositus.
—— *carui.*
Aqua zinci vitriolati cum camphora.

FORMER NAMES.

NEW NAMES.

B.

Balsamum sulphuris barbadense.----- *simplex.*----- *traumaticum.*

Petroleum sulphuratum.

Oleum sulphuratum.

Tinctura benzöes composita.

C.

*Calx antimonii.**Causticum antimoniale.*----- *commune fortius.*----- *lunare.**Ceratum album.*----- *citrinum.*----- *epuloticum.**Chalybis rubigo præparata.**Cinnabaris factitia.**Confectio cardiaca.*

Antimonium calcinatum.

----- *muriatum.*

Calx cum kali puro.

Argentum nitratum.

Ceratum spermatis ceti.

----- *resinæ flavæ.*----- *lapidis calaminaris.*

Ferri rubigo. [ber.

Hydrargyrus sulphuratus ru-

Confectio aromatica.

D.

Decoctum album.----- *commune pro clystere.*----- *pectorale.*

Decoctum cornu cervi.

----- *pro enemate.*----- *hordeicompositum.*

E.

*Electuarium lenitivum.**Elixir aloes.*----- *myrrhæ compositum.*----- *paregoricum.**Emplastrum ex ammoniaco cum
mercurio.*----- *attrahens.*----- *cephalicum.*----- *commune.*----- *adbasium.*

Electuarium e sennâ.

Tinctura aloës composita.

----- *sabinæ composita.*----- *opii camphorata.*Emplastrum ammoniaci cum
hydrargyro.----- *ceræ.*----- *picis burgundicæ.*----- *lithargyri.*----- *cum resina.*

FORMER NAMES.

NEW NAMES.

Emplastrum commune cum gummi.

————— *cum mercurio.*

————— *e cymino.*

————— *roborans.*

————— *e sapone.*

————— *stomachicum.*

————— *vesicatorium.*

Emulsio communis.

Extractum catharticum.

————— *thebæicum.*

Emplastrum lithargyri cum gummi.

————— *cum hydrargyro.*

————— *cumini.*

————— *thuris.*

————— *saponis.*

————— *ladani.*

————— *cantharidis.*

Lac amygdalæ.

Extractum e colocynthide compositum.

Opium purificatum.

F.

Flores benzoini.

———— *martiales.*

Fetus communis.

Flores benzoës.

Ferrum ammoniacale.

Decoctum pro fomento.

H.

Hiera picra.

Pulvis aloëticus.

I.

Infusum amarum simplex.

———— *sennæ commune.*

Fulepum e camphorâ.

———— *e cretâ.*

———— *e moscho.*

Infusum gentianæ compositum.

———— *sennæ tartarisatum.*

Mistura camphorata.

———— *cretacea.*

———— *moschata.*

L.

Linimentum album.

———— *saponaceum.*

———— *volatile.*

Lixivium saponarium.

———— *tartari.*

Unguentum spermatis ceti.

Linimentum saponis.

———— *ammoniacæ.*

Aqua kali puri.

———— *kali.*

FORMER NAMES.

NEW NAMES.

M.

Mel Ægyptiacum.—— *rosaceum.**Mercurius calcinatus.*———— *corrosivus sublimatus.*———— *ruber.*———— *dulcis sublimatus.*———— *emeticus flavus.*———— *præcipitatus albus.*

Oxymel æuginis.

Mel rosæ.

Hydrargyrus calcinatus.

———— *muriatus.*———— *nitratus ruber.*

Calomelas.

Hydrargyrus vitriolatus.

Calx hydrargyri alba.

N.

Nitrum vitriolatum.

Kali vitriolatum.

O.

Oleum petrolei barbadensis.—— *terebinthinæ æthereum.**Opium colatum.**Oxymel scilliticum.*

Oleum petrolei.

—— *terebinthinæ rectificatum.*

Opium purificatum.

Oxymel scillæ.

P.

*Philonium Londinense.**Pilule aromaticæ.*—— *rufi.**Pulvis e bolo compositus.*———— *cum**opio.*—— *e cerussa compositus.*—— *sternutatorius.*

Confectio opiata.

Pulvis aloëticus cum guaiaco.

Pilulæ ex aloë cum myrrhâ.

Pulvis e creta compositus.

———— *cum**opio.*—— *e cerussa.*—— *asari compositus.*

R.

Rob baccarum sambuci.

Succus baccæ sambuci spissatus.

FORMER NAMES.

NEW NAMES.

S.

<i>Saccharum saturni.</i>	<i>Cerussa acetata.</i>
<i>Sal absinthii.</i>	<i>Kali præparatum.</i>
— <i>catbarticus glauberi.</i>	<i>Natron vitriolatum.</i>
— <i>diureticus.</i>	<i>Kali acetatum.</i>
— <i>martis.</i>	<i>Ferrum vitriolatum.</i>
— <i>tartari.</i>	<i>Kali præparatum.</i>
— <i>vitrioli.</i>	<i>Zincum vitriolatum.</i>
— <i>volatilis salis ammoniaci.</i>	<i>Ammonia præparata.</i>
<i>Species aromaticæ.</i>	<i>Pulvis aromaticus.</i>
<i>Spiritus cornu cervi.</i>	<i>Liquor volatilis cornu cervi.</i>
— <i>lavendulæ compositus.</i>	<i>Tinctura lavendulæ composita.</i>
— <i>simplex.</i>	<i>Spiritus lavendulæ.</i>
— <i>nitri dulcis.</i>	— <i>ætheris nitrosi.</i>
— <i>glauberi.</i>	<i>Acidum nitrosum.</i>
— <i>salis ammoniaci.</i>	<i>Aqua ammoniæ.</i>
— <i>dulcis.</i>	<i>Spiritus ammoniæ.</i>
— <i>marini glauberi.</i>	<i>Acidum muriaticum.</i>
— <i>vinosus camphoratus.</i>	<i>Spiritus camphoratus.</i>
— <i>vitrioli dulcis.</i>	— <i>ætheris vitrioli.</i>
— <i>volatilis aromaticus.</i>	— <i>ammoniæ compositus.</i>
— <i>fætidus.</i>	— <i>fætidus.</i>
<i>Succi scorbutici.</i>	<i>Succus cochleariæ compositus.</i>
<i>Syrupus ex althæâ.</i>	<i>Syrupus althææ.</i>
— <i>e corticibus aurantiorum.</i>	— <i>corticis aurantii.</i>
— <i>balsamicus.</i>	— <i>tolutanus.</i>
— <i>e meconio.</i>	— <i>papaveris albi.</i>
— <i>rosarum solutivus.</i>	— <i>rosæ.</i>

T.

<i>Tabellæ cardialgicæ.</i>	<i>Trochisci e creta.</i>
<i>Tartarum emeticum.</i>	<i>Antimonium tartarissatum.</i>
— <i>solubile.</i>	<i>Kali tartarissatum.</i>
— <i>vitriolatum.</i>	— <i>vitriolatum.</i>

FORMER NAMES.

NEW NAMES.

Tinctura amara.
 ——— *aromatica.*
 ——— *fatida.*
 ——— *guaiacina volatilis.*
 ——— *japonica.*
 ——— *martis in spiritu salis.*
 ——— *melampodii.*
 ——— *rhabbari spirituosæ.*
 ——— *vinosæ.*
 ——— *rosarum.*
 ——— *sacra.*
 ——— *stomachica.*

Trochisci bechici albi.
 ————— *nigri.*

Tinctura gentianæ composita.
 ——— *cinnamomi compos-*
 ita.
 ——— *asafœtidæ.*
 ——— *guaiaci.*
 ——— *catechu.*
 ——— *ferri muriati.*
 ——— *hellebori nigri.*
 ——— *rhabbari.*
Vinum rhabbari.
Infusum rosæ.
Vinum aloës.
Tinctura cardamomi compos-
 ita.
Trochisci ex amylo.
 ——— *e glycyrrhiza.*

V.

Vinum antimoniale.
 ——— *chalybeatum.*
Unguentum album.
 ——— *basilicum flavum.*
 ——— *cæruleum fortius.*
 ——— ——— *mitius.*
 ——— *e mercurio præcipi-*
 tato.
 ——— *saturninum.*
 ——— *simplex.*

Vinum antimonii.
 ——— *ferri.*
Unguentum ceræ.
 ——— *resinæ flavæ.*
 ——— *hydrargyri for-*
 tius.
 ——— *mitius.*
 ——— *calcis hydrargyri*
 albæ.
 ——— *cerussæ acetatæ.*
 ——— *adipis suillæ.*

FINIS.

Med. Hist.

WZ

270

T748p

1805

